

NOTICE OF PUBLIC HEARING
LEGAL NOTICE

Pursuant to the Executive Orders issued by Governor Pritzker and guidance provided by Legal Counsel, PUBLIC NOTICE is given pursuant to law that the KNOX COUNTY ZONING BOARD OF APPEALS will conduct a Public Hearing held online in a visual format using the Zoom Internet Conferencing Application on April 28, 2020 at 6:00 p.m. CT, which can be accessed through the following link <https://zoom.us/j/3093453840>, or through the Zoom Application available at join.zoom.us, using the Meeting ID: 309-345-3840, which shall also be posted on the County's website at www.co.knox.il.us under "Knox County, IL News." Those who wish to only join via phone may attend by dialing (312) 626-6799, Meeting ID: 309-345-3840. If necessary, the meeting will be continued on April 29, 2020 at 2:00 p.m. CT using the same Meeting ID, phone numbers and web addresses as above.

Community members wishing to make public comment may call the Zoning Department at (309) 345-3840 to sign up no later than twenty-four (24) hours prior to the meeting start time. The County will also accept comments in writing sent to: tweidenhamer@co.knox.il.us, which comments will be incorporated into the record.

For the purposes of running a smooth meeting and so that all who wish to attend are able to, please visit the website <https://support.zoom.us/hc/en-us/articles/201362193-Joining-a-Meeting> for instructions on how to use Zoom on any of your devices or through a web browser ahead of the meeting time. As indicated above, if you would prefer, you can simply dial in on any phone, although using the telephone number does not allow for the visual component. We recommend joining the meeting early to avoid any delays.

All interested persons are invited to attend this Public Hearing, shall have the opportunity to be heard, and shall be limited to **3** minutes of verbal testimony. Any additional, relevant, written statement is welcomed and encouraged.

CASE CU-02-2020, a request for a Conditional Use Permit to locate and operate the Knox County Wind Farm, filed by Knox County Wind Farm LLC 155 Grand Ave, STE 706, Oakland, CA 94612, represented by Michael Cressner on the property described below.

CASE SV-01-2020, a request (i) for a "Setback Variance," in order to allow turbines to be placed closer to the property lines of participating landowners who have consented to such placement than is currently provided for in the Knox County Zoning Resolution, and (ii) to increase the maximum allowable height of towers from 500' to 600' under Appendix B wind Energy System Ordinance of the Knox County Zoning Resolution, pursuant to that application filed by Knox County Wind Farm LLC, 155 Grand Ave, STE 706, Oakland, CA 94612, represented by Michael Cressner on the property described below.

Knox County Wind Farm LLC is a Delaware limited liability company, and its officers are Michael Haas (President), Reid M. Buckley (Vice President and Treasurer), James J. Eisen (Vice President and Secretary), Nicholas A. Hiza (Vice President), Aaron Zubaty (Vice President), Peter J. Blum (Vice President), Stephanie Smith (Vice President), Ryan McGraw (Vice President) and Jayne De Yong (Assistant Secretary). The address for all Officers is c/o Orion Renewable Energy Group LLC, 155 Grand Avenue, Suite 706, Oakland, CA 94612.

For more information on the project, interested parties may contact Alyssa Pacheco, as representative of the project team from Orion at apacheco@orionrenewables.com or (309) 351-7775.

The Application is currently on file with the Knox County Zoning Department at 121 South Prairie Street, Galesburg, IL, 61401. Please contact this office to request any and all portions of the application during the hours of 8:30AM-4:30PM, Monday to Friday. Comments can be provided to the Zoning Department by calling (309) 345-3840.

ALL PROPERTIES ARE LISTED BELOW

Knox County Zoning Board of Appeals

Dated this 6th day of April 2020.

To be published one time in the Galesburg Register-Mail

1. 07-01-100-001, S D 1904 NW S1 T12 R3 EX S 80 A LOT 2; 2. 07-01-100-002, SD 1904 NW S1 T12 R3 LOT 1; 3. 07-01-100-003, S D 1904 NW S1 T12 R3 N 70 A OF S 80 A LOT 2; 4. 07-01-200-001, NE S1 T12 R3; 5. 07-02-100-001, N1/2 NW S2 T12 R3; 6. 07-02-100-002, S1/2 NW S2 T12 R3; 7. 07-02-200-001, N1/2 NE S2 T12 R3; 8. 07-02-200-002, S1/2 NE S2 T12 R3; 9. 07-02-300-003, S D 1904 SW S2 T12 R3 LOT 1 (EX S17.92 RDS OF W17.92 RDS); 10. 07-02-400-001, W 60 A SE S2 T12 R3; 11. 07-02-400-002, E100.87 A SE S2 T12 R3; 12. 07-03-100-002, E1/2 NW S3 T12 R3. S/A '00 VEG FIL STRP 3.0 ACS; 13. 07-03-100-003, W1/2 NW (EX BEG SE COR W768.26' NE588.51'NE70.76' NE114.31'NE146.6'NE 441.51'NE249.84' NE87.19'S TO POB) S3 T12 R3; 14. 07-03-200-004, S1/2 NE S3 T12 R3; 15. 07-03-200-005, RE SD N1/2 NE S3 T12 R3 LOTS1 THRU 8 & LOT 12 S/A'00 VEG FIL STRP 1.8 ACS; 16. 07-03-300-001, NW SW S3 T12 R3; 17. 07-03-300-002, NE SW S3 T12 R3; 18. 07-03-300-003, S1/2 SW S3 T12 R3; 20. 07-03-400-001, NE SE & N1/2 NW SE S3 T12 R3; 21. 07-03-400-004, S1/2 NW & N 4 RDS SW SE S3 T12 R3; 22. 07-03-400-006, EX N66' OF W1320' & EX TRACT A SURVEY 24 PLATS PG 53 S1/2 SE S3 T12 R3; 23. 07-03-400-007, BEG NE COR W1319.27' S 66.03' SE 465.45' SE 339.83' SE 868.29' E 31.44' N1083.32' TO POB AKA TR A SURVEY 24 PLT PG 53; 24. 07-04-100-003, NW (EX HALL SUB) S4 T12 R3; 25. 07-04-200-002, EX NOLAN SUB DIV W1/2 NE S4 T12 R3; 26. 07-04-300-001, N1/2 SW S4 T12 R3; 27. 07-04-400-004, 98.70 AC TRACT LYG IN PT S1/2 SW & PT W1/2 W1/2 SE SEC 4 T12 R3-AKA TRACT 2; 28. 07-05-200-003, S1/2 E 1/2 NE S5 T12 R3 9.9 ACS IN FORESTRY MGMT-A -'06; 29. 07-06-200-001, W1/2 NE S6 T12 R3; 30. 07-07-400-001, N1/2 SE S7 T12 R3; 30. 07-07-200-001, N 40A NE S7 T12 R3; 31. 07-08-100-002, N1/2 NW S8 T12 R3; 32. 07-08-100-003, S1/2 NW S8 T12 R3; 34. 07-08-200-003, NW (EX BEG NW COR E1468.27; SW142.97' SW718.3' SW 261.7' SW1275.17' SW412.39' W 743.05' N TO POB S8 T12 R3; 37. 07-08-300-006, W1/2 W1/2 SW (EX W 210.16' OF S 414.54' LYG IN SW COR) AKA TR B AS IN DOC #1053572; 38. 07-08-300-007, E1/2 W1/2 SW SEC 8 T12 R3 AKA TR C AS IN DOC #1053572, W173 N; 39. 07-09-100-001, N1/2 NW S9 T12 R3; 40. 07-09-100-011, 26.63 AC TR LYG IN PT S1/2 NW SEC 9 T 12 R 3; 41. 07-09-200-002, PT NE LYG N OF AN IRREG 88.66 AC TR LYG IN S9 T12 R3; 42. 07-09-300-009, 169.79 AC TR LYG IN PT SW & PT SE SEC 9 T12 R3; 43. 07-16-100-001, SECT16 TWP 12 RANGE3 LOTS 3 4 & 6 NW S16 T12 R3; 44. 07-16-100-002, LOT 5 S16 T12 R3; 46. 07-16-300-002, LOT 11 S16 T12 R3; 48. 07-16-400-001, LOTS 9 & 10 S16 T12 R3; 49. 07-16-400-002, S D LOT 15 S16 T12 R3 LOTS1, 2, & 3; 50. 07-17-100-001, W1/2 NW S17 T12 R3; 51. 07-17-300-002, E1/2 W1/2 SW S17 T12 R3; 52. 04-05-300-002, S1/2 SW S5 T13 R4; 53. 04-06-300-001, LOT 2 SW S6 T13 R4 4.4 ACS IN VFS A-2003; 54. 04-06-300-003, S1/2 LOT 1 SW S6 T13 R4; 55. 04-06-400-002, S1/2 SE S6 T13 R4; 56. 04-06-400-003, N1/2 SE (EX BEG 1638.64' N SE COR SW W211' N413' E211' S413' TO POB) S6 T13 R4; 57. 04-07-100-001, S D 1904 NW S7 T13 R4 LOTS1 & 2; 58. 04-07-200-001, N1/2 NE S7 T13 R4; 59. 04-07-200-002, S1/2 NE S7 T13 R4; 60. 04-07-300-001, SW S7 T13 R4; 61. 04-07-400-001, EX HAGA HOMESTEAD N1/2 SE S7 T13 R4; 62. 04-07-400-003, SW SE S7 T13 R4; 63. 04-07-400-004, SE SE S7 T13 R4; 64. 04-08-100-001, NW NW S8 T13 R4; 65. 04-08-100-002, SW NW S8 T13 R4; 66. 04-08-100-003, E1/2 NW S8 T13 R4; 67. 04-08-300-002, N1/2 EX 2A IN NW COR SW S8 T13 R4; 68. 04-08-300-003, S1/2 SW S8 T13 R4; 69. 04-08-400-005, NW SE S8 T13 R4; 70. 04-08-400-008, N37.5. ACS NE SE (EX BEG 1393.74'N SE COR SE W312', N500, E312, S500' TO POB) SEC 8 T13 R4; 71. 04-09-100-005, PT NW-BEG NE COR, E1170', S720', W339.34', S1941.76' E TO SE COR, N TO POB SEC 9 T13 R4; 72. 04-09-200-001, NE (EX PT FOR RD IN1588-102) S9 T13 R4; 73. 04-09-400-002, SE1/4 (EX 3.16 ACS LYG IN E1/2 & EX PT FOR RD) SEC 9 T 13 R4; 74. 04-10-100-004, NW (EX 3.28 AC TR AS IN 3486-43 LYG IN W1/2 NW) ALSO SW (EX HATHWAY SUB LOT 1) SEC 10 T 13 R4; 75. 04-10-200-003, NE (EX THULINE SUB) S10 R13 R4; 76. 04-10-400-001, W1/2 SE S10 T13 R4; 77. 04-11-100-001, NW S11 T13 R4; 78. 04-11-200-001, S D 1904 NE S11 T13 R4 N 27.44 A LOT 3; 79. 04-11-200-002, S D 1904 NE S11 T13 R4 LOT 1; 80. 04-11-200-003, S D 1904 NE S11 T13 R4 S 25.89 A LOT 3; 81. 04-11-200-004, S D 1904 NE S11 T13 R4 LOT 2; 82. 04-11-300-004, 136.30 AC TR AS IN DOC #999707 LYG N OF RD SW SEC 11 T13 R4; 83. 04-11-400-001, N 37.11 A W1/3 SE S11 T13 R4; 84. 04-11-400-012, N 250' OF E1778.04' LYG N OF RD OF SE SEC 11 T 13 R4; 85. 04-11-400-013, E1778.04' LYG N OF RD IN SE (EX DALE JONES SUB AND EX N 250') SEC 11 T13 R4; 85.5. 04-11-400-013; 86. 04-15-100-002, NE NW S15 T13 R4; 87. 04-16-100-004, LOT 4 SCHOOL TRUSTEE'S SUB OF SEC 16 (EX PT FOR RD) NW T13 R4 2.5 ACS VEG FIL STRIP-BOR'01; 88. 04-16-200-003, SCHOOL TRUSTEE'S SUB OF S16 T13 R4 LT 2 (EX BEG SE COR W 531.25' N409.98' E 531.25' S409.98' TO POB) & EX PT FOR RD; 89. 04-16-200-005, LOT 1 E1/2 NE SEC 16 T13 R4 (EX PT FOR RD & EX S11 ACS); 90. 04-16-200-006, S11 ACS LYG IN PT E1/2 NE SEC 16 T13 R4; 91. 04-16-300-001, LOT 5 (EX PT FOR ROW) SEC 16 T13 R4; 92. 04-16-300-002, LOT 6 E1/2 SW SEC 16 T13 R4 (EX PT FOR RD); 93. 04-16-400-001, LOT 7 S16 T13 R4 (EX PT FOR ROW); 94. 04-16-400-002, SCHOOL TRUSTEE'S SUB OF SEC 16 T13 R4 LT 8 (EX PT FOR RD); 97. 04-17-100-001, W1/2 NW S17 T13 R4 (EX PT FOR RD); 98. 04-17-300-002, N1/2 SW (EX LOT 1 & EX 1.77 AC TRACT & EX PT FOR ROW) SEC 17 T13 R4 2.6 ACS -FOR MGMT-A-2003; 98.5. 04-17-300-008; 99. 04-18-100-001, NW (EX PT FOR RD) SEC 18 T13 R4; 100. 04-18-300-002, TR 4 SW SEC 18 & TR 3 NW S19 T13 R4 (EX PT FOR RD); 101. 04-18-400-001, SE (EX PT FOR ROW) S18 T13 R4; 102. 04-19-200-002, NE & N 60 SE E S19 T13 R4; 103. 04-19-300-002, N1/2 SW S19 T13 R4; 104. 04-19-300-004, N 27.06 AC LYG IN S1/2 SW SEC 19 T 13 R 4; 105. 04-19-400-002, EX E 460' OF S865' SE S19 T13 R4 97' 21RA-ILL-WPC-96-69; 106. 04-20-300-001, N1/2 SW S20 T13 R4; 107. 04-20-300-002, S1/2 SW S20 T13 R4; 108. 04-20-400-001, SE S20 T13 R4; 109. 04-21-200-003, S 40 ACS NE SEC 21 T13 R4; 110. 04-21-300-002, N1/2 SW S21 T13 R4; 111. 04-21-300-003, S1/2 SW S21 T13 R4; 113. 04-21-400-004, S56.28 ACS SE S21 T13 R4; 114. 04-21-400-005, SE (EX S 56.28 ACS & EX DAVIDS SUB & EX GIBBS SUB & EX TR3) SEC 21 T13 R4; 115. 04-28-100-003, EX W 580.8' OF N 300' & EX W440' OF S 396' OF N1686' NW S28 T13 R4; 116. 04-28-200-002, NE (EX BEG 985.48' S NE COR S 306.55 W659.27' N303.13' E 654.77' TO POB) S28 T13 R4; 117. 04-29-100-001, N19.7 A W1/2 NW S29 T13 R4; 118. 04-29-100-002, N19.7 A E1/2 NW S29 T13 R4; 119. 04-29-100-004, S 58.5 A E1/2 NW S29 T13 R4; 120. 04-29-100-006, S58.5 ACS W1/2 NW (EX BEG 428.61' N SW COR N202' E233' N298' E197' S500' W430' TO POB) S29 T13 R4 STP 4.8 ACS; 122. 04-29-200-003, E1/2 NE S29 T13 R4; 123. 04-29-200-004, NW NE S29 T13 R4; 125. 04-29-200-005, SW NE S29 T13 R4; 126. 04-30-100-001, LOTS1& 2 NW S30 T13 R4; 127. 04-30-200-001, W1/2 NE S30 T13 R4; 128. 04-30-200-003, EX W 300' OF E460' OF N115' & E160' OF N 20' E1/2 NE S30 T13 R4 10.9 ACS IN FOR MGMT A-2003; 129. 04-30-300-002, E 25 ACS OF NE1/4 OF THE SW1/4 (EX S 330' OF E1058' SW) SEC 30 T13 R4; 130. 04-30-300-003, S 330' OF E1058' N1/2 LOT 1 SW S30 T13 R4; 131. 04-30-300-004, S1/2 LOT 1 EX W 8 A SW S30 T13 R4; 132. 04-30-400-001, NW SE S30 T13 R4; 133. 04-30-400-003, SW SE S30 T13 R4; 134. 04-30-400-004, S1/2 E1/2 SE S30 T13 R4; 135. 02-14-300-002, E1/2 SW S14 T13 R2; 136. 02-22-200-003, NE (EX BEG 1348.39'E NW COR E250' S250' W250' N250' TO POB) S22 T13 R2; 137. 02-22-400-002, SE (EX FLEMING RANCH SUB) SEC 22 T13 R2; 138. 02-23-100-005, S1/2 NW (EX HERSCHEL HOLMES HOMESTEAD SUB) S23 T13 R2; 139. 02-23-200-002, N1/2 NE

SEC 23 T 13 R 2; 140. 02-23-200-003, S1/2 NE SEC 23 T 13 R 2; 141. 02-23-300-005, SW (EX PHEIFFER'S SUB) S23 T13 R2; 142. 02-23-400-001, EX WOODLAWN NORTH N1/2 SE S23 T13 R2; 143. 02-23-400-003, W1305' S1/2 SE S23 T13 R2; 144. 02-24-100-005, N1/2 NW S24 T13 R2; 145. 02-24-200-002, N1/2 NE S24 T13 R2; 146. 02-24-200-003, S1/2 NE S24 T13 R2; 147. 02-24-400-003, EX S16.16 ACS 26 PLATS PG 38 E1/2 SE S24 T13 R2 AKA TR B; 148. 02-24-400-004, S16.16 ACS 26 PLATS PG 38 E1/2 SE S24 T13 R2 AKA TR A; 149. 03-01-100-002, S1/2 NW S1 T13 R3; 150. 03-01-100-004, PT NW -BEG NE COR S1318.68' W1173.48' W1022.34' SW105.6' W201.74' NE138.26' NW104.98 W188.5' N1188.69' E TO POB; 151. 03-01-200-001, W1/2 NE S1 T13 R3; 152. 03-01-300-001, S D 1904 SW S1 T13 R3 N100 A LOT 1; 153. 03-01-300-002, S D 1904 SW S1 T13 R3 S 38 A LOT 1 & ALL LOT 2; 154. 03-02-100-002, E1/2 NW S2 T13 R3; 155. 03-02-300-002, E1/2 SW S2 T13 R3; 156. 03-02-300-004, EX E 78' W102' N151' W1/2 SW S2 T13 R3; 157. 03-02-400-006, SE SEC 2 T 13 R3 (EX ROD'S SUB & EX 20.37 AC TR IN SE COR AS IN DOC #972362; 158. 03-03-300-001, EX LEINBACH S D PLAT OF SURVEY VOL 16 PG 47 W1/2 SW S3 T13 R3; 159. 03-03-300-003, E1/2 SW S3 T13 R3; 162. 03-03-400-001, N1/2 SE S3 T13 R3; 163. 03-03-400-003, SW SE SEC 3 T13 R3; 164. 03-03-400-004, SE SE SEC 3 T13 R3; 165. 03-04-400-001, EX HWY SE S4 T13 R3 2017-VFS-18.8ACS; 166. 03-09-200-002, S1/2 NE S9 T13 R3; 175. 03-09-200-003, N1/2 NE (EX TR A) S9 T13 R3; 176. 03-10-100-004, 61.47 AC TR BEG NW COR NW1/4 SE1015.24' SE1106.38' NW 237' SE 296.24' SE 237' SE1285.61' NW1029.57' NW2688.12' TO POB SEC 10 T12 R3 EPA 1984-17690AV; 177. 03-10-100-005, E96.92 ACS NW & BEG NW COR NW1/4 SE1015.24' SE1106.38' TO POB THENCE SE 296.23' NW 237' NW 296.24' SE 237' TO POB & N 45 ACS E1/2 SW SEC 10 T12 R3; 178. 03-10-200-002, EX STUCKEY S D E1/2 NE S10 T13 R3; 179. 03-10-400-001, N 70 A SE S10 T13 R3; 180. 03-11-200-002, LYG N OF RR NE S11 T13 R3; 181. 03-11-200-003, LYG S OF RR NE S11 T13 R3; 182. 03-11-300-007, 129.50 AC TR LYG IN PT SW S OF RR SEC 11 T13 R3; 184. 03-11-400-002, N1/2 SE S11 T13 R3; 185. 03-11-400-003, S1/2 SE S11 T13 R3; 186. 03-12-100-001, EX RR W1/2 NW S12 T13 R3; 187. 03-12-100-002, E1/2 NW S12 T13 R3; 188. 03-12-300-001, N1/2 SW S12 T13 R3; 189. 03-12-300-002, S1/2 SW S12 T13 R3; 190. 03-12-400-002, SW SE S12 T13 R3; 191. 03-12-400-008, NW SE S12 T13 R3; 192. 03-12-400-011, EX SE SE NE SE/NE SE S12 T13 R3; 193. 03-12-400-013, EX N1/2 NE NE SE SE/SE SE S12 T13 R3; 194. 03-13-100-003, E1/2 NW (EX K K C SUB & EX FOR ROW AS IN DOC #1007380) S13 T13 R3; 195. 03-13-100-005, N 40.88 ACS LYG IN PT W1/2 NW SEC 13 T13 R3; 196. 03-13-100-006, S38.06 ACS LYG IN PT W1/2 NW SEC 13 T13 R3 (EX PT FOR ROW); 197. 03-13-200-004, S1/2 SE NE S13 T13 R3 (EX FOR ROW AS IN DOC #1007958; 198. 03-13-200-005, N1/2 NW NE & N1/2 S1/2 NW NE S13 T13 R3; 199. 03-13-200-007, S1/2 S1/2 NW NE & SW NE S13 T13 R3 (EX FOR ROW AS IN DOC #1007958; 200. 03-13-200-008, NE NE & N1/2 SE NE S13 T13 R3; 201. 03-13-300-002, E1/2 SW (EX FOR ROW AS IN DOC #1007381) S13 T13 R3; 202. 03-13-300-003, N1/2 W1/2 SW1/4 S13 T13 R3 (EX PT FOR RD & EX FOR ROW AS IN DOC #1007379; 203. 03-13-300-004, S1/2 W1/2 SW1/4 S13 T13 R3; 204. 03-13-400-004, W1/2 SE (EX FOR ROW AS IN DOC #1007382) S13 T13 R3; 205. 03-13-400-005, E1/2 SE (EX E2/3 NE SE & EX FOR ROW AS IN DOC #1007383) S13 T13 R3; 206. 03-14-100-006, W1/2 NW SEC 14 T13 R3 (EX RE MAIN SD PT OF LT 2 & EX ALL LT3 & EX FOR ROW AS IN DOC #1007386; 207. 03-14-200-003, W1/2 NE SEC 14 T13 R3 (EX AUSTIN ACRES & EX FOR ROW AS IN DOC #1007390; 208. 03-14-200-005, E1/2 NE (EX BEG 539.11' W SE COR W217.8' N240' E217.8' S240' TO POB) S14 T13 R3 (EX PT FOR RD) & (EX FOR ROW AS IN DOC #1007392; 209. 03-14-300-003, SW(EX BEG 1208.39'N SW COR N306.22' E167.33S E 306.54'W183.17' TO POB & (EX FOR ROW AS IN DOC #1007387) S/A '00 VEG FIL STRP-6.6 ACS; 210. 03-14-400-002, E1/2 SE S14 T13 R3 (EX PT FOR RD & EX FOR ROW AS IN DOC #1007391)22 ACS VEG STRIP -BOR'01; 211. 03-14-400-003, NW SE S14 T13 R3 (EX FOR ROW AS IN DOC #1008557); 212. 03-14-400-004, SW SE S14 T13 R3 1.0 AC VEG FIL STRIP- BOR; 213. 03-15-100-003, SD 1904 NW SEC 15 LOTS1 & 2 (EX 2.89 AC TR LYG IN S PT OF LOT 2 AS IN DOC #976785 & EX FOR ROW PER DOC #1007955) T13 R3; 214. 03-15-400-002, LOT 2 SE S15 T13 R3 (EX FOR ROW PER DOC #1007957; 215. 03-15-400-004, LOT 1 LYG IN PT SE SEC 15 T 13 R3 (EX CHARLES W NELSON SD LOT 1 & EX FOR ROW PER DOC #1007384; 216. 03-17-100-001, W 39 A W1/2 NW S17 T13 R3; 217. 03-17-200-001, NE S17 T13 R3 (EX FOR ROW AS IN DOC#1054184; 218. 03-17-300-001, W1/2 SW S17 T13 R3; 219. 03-17-300-003, EX E125' OF N210' E1/2 SW & W 2 A SE S17 T13 R3; 220. 03-18-400-001, W1/2 SE S18 T13 R3; 221. 03-18-400-005, E1/2 SE (EX MAIN HITCH SUB EXTN 2) S18 T13 R3; 222. 03-19-200-002, S1/2 NE S19 T13 R3; 223. 03-19-300-005, S21.13 ACS 26 PLATS PG 38 SW S19 T13 R3 AKA TR A; 224. 03-19-300-006, EX S 21.13 ACS 26 PLATS PG 38 & SW SEC19 T13 R3 AKA TR B (INCLUDING JENSEN SD LOT 1; 225. 03-19-400-001, N1/2 SE S19 T13 R3; 226. 03-19-400-003, S1/2 SE SEC19 T13 R3(EX COM SW COR OF SE1/4 THENCE E 660' N297' W660' S 297' TO POB & EX 0.74 ACS S OF RR & EX HWY; 227. 03-19-400-004, 4.50 AC TR LYG IN PT S1/2 SE SEC19 T13 R3 COM SW COR OF SE1/4 THENCE 660' N 297' W660' S297' TO POB; 228. 03-19-400-005, 0.74 AC TR LYG IN PT S1/2 SE SEC19 T13 R3 LYG S OF HWY & S OF RR; 232. 03-20-100-002, EX E33' S1/2 NW S20 T13 R3; 234. 03-20-300-001, N & W OF HWY & RR SW S20 T13 R3; 235. 03-20-300-002, W 7.05 A S & E OF RR SW S20 T13 R3; 236. 03-20-300-003, EX W 7.05 A S & E OF RR SW S20 T13 R3; 237. 03-20-400-001, W1/2 SE S20 T13 R3; 238. 03-20-400-002, NE SE S20 T13 R3; 239. 03-20-400-003, SE SE S20 T13 R3 S/A 2010-16.8 ACS IN VEG FIL STRIP; 240. 03-21-200-009, SUB OF NE S21T13R3 LT 1 & N1167.54' E683.1' LT 4 S21 T13 R3/FSTRY MGMT '96-14.61 AC 2.6 ACS VEG FIL STRP-BOR'01; 242. 03-21-300-001, W107 A SW S21 T13 R3; 243. 03-21-300-002, E 53 A SW S21 T13 R3; 244. 03-21-400-001, EX 16' STRIP S SIDE W 51 ACS SE S21 T13 R3; 245. 03-21-400-002, N 34 A OF E109 A SE S21 T13 R3; 246. 03-21-400-004, N 33 A OF S 41 A OF E109 A SE S21 T13 R3; 247. 03-21-400-005, S 8 OF S 41 A OF E109 A SE S21 T13 R3; 248. 03-21-400-006, S15 ACS OF N49 ACS OF E109 ACS SE S21 T13 R3; 249. 03-21-400-007, S19 ACS OF N68 ACS OF E109 ACS SES21 T13 R3; 250. 03-22-100-004, W15 ACS N1/2 NW & ALL S1/2 NW S22 T13 R3 FSTRY MGMT 8.79 AC '96; 251. 03-22-200-001, NE S22 T13 R3; 252. 03-22-300-001, SW S22 T13 R3; 253. 03-22-400-001, N1/2 SE S22 T13 R3; 254. 03-22-400-002, W 44 A S1/2 SE S22 T13 R3; 255. 03-22-400-003, E 36 A S1/2 SE S22 T13 R3; 256. 03-23-100-002, W1/2 NW S23 T13 R3 14.9 ACS VEG FIL STRIP -BOR '0; 257. 03-23-100-005, E1/2 NW (EX PT BEG 1891.37' E NW COR NW, E291.5', SW244',W283',N238'TO POB) SEC23 T13 R3 1.2ACS VEG FIL STRIP -BOR'01; 258. 03-23-200-001, NE S23 T13 R3; 259. 03-23-300-004, N1/2 SW (EX BEG SW COR N534.56' NE256.53' SE196.25' SE165.42' SE396.37' SE9.81' W TO POB) S23 T13 R3 8.8 AC VEG FIL -BOR '01; 260. 03-24-100-003, NE NW S24 T13 R3; 261. 03-24-100-004, SW NW S24 T13 R3; 262. 03-24-100-005, SE NW S24 T13 R3; 263. 03-24-100-007, NW NW (EX N638' W683.75') S24 T13 R3; 264. 03-24-200-003, N 30 A NE NE S24 T13 R3; 265. 03-24-200-008, NE SEC 24 T13 R3(EX W 60 ACS & EX N 30 ACS NE NE; 266. 03-24-400-003, E1/2 OF SE SEC 24 T 13 R3; 267. 03-24-400-004, 15 AC TR AS IN DOC#980407 LYG IN W1/2 SE SEC 24 T13 R3; 268. 03-24-400-005, 43.31 AC TR AS IN DOC #980407 LYG IN W1/2 SE SEC 24 T13 R3; 269. 03-25-200-001, W1/2NE S25 T13 R3; 270. 03-25-200-004, E1/2 NE (EX S210' N658.5' E240' & EX LOT 1 HAZEN SUB) S25 T13 R3; 271. 03-25-200-005, HAZEN SUB LOT 1 E1/2 NE S25 T13 R3; 272. 03-25-300-001, W1/2 SW S25 T13 R3; 273. 03-26-100-003, NW S26 T13 R3 (EX BURNS SUB NO 2; 274. 03-26-200-003, NE (EX PT LYG W OF CRK) S26 T13 R3; 275. 03-26-400-001, W1/2 SE S26 T13 R3; 276. 03-26-400-002, E1/2 SE S26 T13 R3; 277. 03-27-100-001, NW S27 T13 R3; 278. 03-27-200-002, E 84 A NE S27 T13 R3; 279. 03-27-200-003, W1262' NE (EX CHARLES L PETERSON SUB) S27 T13 R3; 280. 03-27-300-001, SW S27 T13 R3; 281. 03-27-400-002, N 62.59' ACS (EX 2.33 ACS LYG IN SE COR) SE1/4 SEC 27 T13 R3; 282. 03-27-400-004, S 96.57 ACS OF SE1/4 (EX 2.33 ACS LYG IN NE COR) SEC27 T13 R3; 283. 03-28-100-002, E41.39 ACS N120 ACS NW (AKA TRB) & N15,NE SEC 28 LYG W OF C/L RD & S16'SE S21 T13 R3 LYG W OF C/L RD; 284. 03-28-200-003, S D 1904 NE S28 T13 R3 LOT 1 & N 55A LOT 2; 285. 03-28-200-006, S 30 ACS LOT 2 (EX 5.04 AC TR LYG IN SW COR AS IN DOC #976805) IN THE SD 1904 NE SEC 28 T 13 R3; 286. 03-28-300-002, PT SW-BEG NW COR E705.4' SW1011.86' SW261.14'N 222.81' W32.07' N718.95' TO POB (AKA TR C) S28 T13 R3; 288. 03-28-300-004, PT SW DESC IN DOC 27-88 (AKA TR B) S28 T13

R3 2.2 ACS-VEG FIL STRIP -S/A'05; 290. 03-28-300-005, PT SW-BEG NE COR W1334.13' S2667.25' E1336.19' N2670.36' TO POB S28 T13 R3; 292. 03-28-300-007, BONNIES WALNUT GROVE SUB LOT 1 S28 T13 R3; 293. 03-28-300-008, PT TR A LYG IN W1/2 SW (EX BONNIE'S WALNUT GROVE SD & EX BONNIE'S WALNUT GROVE SD PHASE 2) SEC 28 T13 R3; 295. 03-28-300-009, BONNIE'S WALNUT GROVE SD PHASE 2 LOT 1 SEC28 T13 R3 AS IN DOC #1052638; 296. 03-28-400-001, N1/2 W1/2 SE S28 T13 R3; 297. 03-28-400-002, S1/2 W1/2 SE S28 T13 R3; 299. 03-28-400-003, E1/2 SE S28 T13 R3; 300. 03-29-100-001, W1/2 NW NW S29 T13 R3; 301. 03-29-100-002, E1/2 NW NW S29 T13 R3; 302. 03-29-300-002, E1/2 SW S29 T13 R3; 304. 03-29-400-002, S1/2 EX E16 RDS OF W 87 RDS OF S 20 RDS SE S29 T13 R3; 305. 03-29-400-005, PT TRACT A IN N1/2 SE S29 T13 R3 7.29 ACS -VEG FIL STRIP-S/A'05; 306. 03-30-100-001, LT NW S30 T13 R3 AKA TR A; 307. 03-30-100-004, LOT 4 S & E OF RR NW S30 T13 R3; 308. 03-30-200-001, EX HWY & EX RR NE S30 T13 R3; 309. 03-30-400-004, PT SE-BEG 409.56'N NW COR S1/2 SE E536' S465.1'E784'N101.64'E1366.2'N TO N LN W TO W LN S TO POB S30 T13 R3; 310. 03-30-400-005, PT SE-BEG NE COR S1/2 N46.2' W1366.2' S101.64'W1320'S TO SW CORE E TO SE COR N TO POB(EX LARCK 80 SUB) S30 T13 R3; 311. 03-31-200-001, NW NE & SW NE NE & W1/2 SE NE S31 T13 R3; 312. 03-31-400-001, N1/2 W1/2 SE S31 T13 R3; 313. 03-31-400-007, E1/2 SE (EX.5 AC TR ALG E LN & EX K & K WALNUT ACRES SUB) S31 T13 R3; 314. 03-33-200-001, S1/2 NE S33 T13 R3; 315. 03-33-200-002, N1/2 NE T33 T13 R3; 316. 03-34-100-002, N1/2 S1/2 NW S34 T13 R3; 317. 03-34-100-003, S1/2 S1/2 NW S34 T13 R3; 318. 03-34-200-001, NE S34 T13 R3; 319. 03-34-300-003, SW (EX HAYNES SUB) S34 T13 R3; 320. 03-34-400-001, SE S34 T13 R3 S/A'00 VEG FIL STRP-12.5 ACS; 321. 03-35-300-001, SW S35 T13 R3; 323. 03-35-400-002, TRACT 2-A (AS IN DOC #1035544) LYG IN SE SEC 35 T13 R3; 324. 03-35-400-003, 325. 03-35-400-004, TRACT 4 (AS IN DOC #1035544) LYG IN SE SEC 35 T13 R3; 326. 03-35-400-006, TRACT 2-B (AS IN DOC #1035544) LYG IN SE SEC 35 T13 R3; 327. 03-36-300-003, SW (EX ROBERTSON BROTHERS SUB) S36 T13 R3; 328. 03-36-400-001, N1/2 SE SEC 36 T13 R3 SA 16-1.5 AC VEG FIL STRIP; 329. 03-36-400-002, S1/2 SE S36 T13 R3.

THE ABOVE DESCRIBED PROJECT AREA BEING GENERALLY LOCATED NORTH OF KNOX COUNTY ROAD 2100 N, EAST OF KNOX COUNTY ROAD 900 E, SOUTH OF N KNOX COUNTY ROAD/S COUNTY ROAD, AND WEST OF E. KNOX ROAD, AND ALSO LEGALLY DESCRIBED AS:

The following properties located as recorded in Knox County, in the State of Illinois and, unless otherwise noted, in the East of the Fourth Principal Meridian, including:**[389]** PIN: 04-10-100-004; The NW1/4 of Sect. 10, T13N R4; EXCEPTING: Tract I: Commencing at the SW corner of the aforesaid NW1/4 of Sect. 10, thence N89°27'00"E (bearing assumed for description purposes only) along the S line of the NW1/4 of Sect. 10, 36.86' to the intersection of said S line with the existing E ROW line of S.B.I. Rte. 83 (IL Rte. 17), said existing E ROW line being parallel with and 40.00' measured perpendicular E of the existing centerline of S.B.I. Rte. 83 (IL Rte. 17); thence N0°06'59"W, along the said existing E ROW line of S.B.I. Rte. 83 (IL Rte. 17), 77.12' to the P.O.B. of the Paree) to be described; From the P.O.B. thence N0°06'59"W along the aforesaid existing E ROW line of S.B.I. Rte. 83 (IL Rte. 17) 300.00'; thence S12°46'53"E, 91.22' to a point on the line parallel with and 60.00' measured perpendicular E of the existing centerline of S.B.I. Rte. 83 (IL Rte. 17); thence S0°06'59"E along the said parallel line, 111.00'; thence S11°11'37"W, 101.98' to the P.O.B. as shown by the Plat recorded March 30, 1992, in Book 1582 at Page 89, as Doc. 777383. Tract II: Commencing at a brass plug at the SW corner of the NW 1/4 of said Sect. 10; thence N00°55'51"E, along the W line of the NW 1/4 of said Sect. 10, a distance of 1394.92' to the P.O.B. for the tract to be described; thence continuing N0°55'51"E, along the W line of the NW 1/4 of said Sect. 10, a distance of 315.91'; thence S89°48'00"E, 448.87' to an iron rod; thence S01°6'40"W, 322.16' to an iron rod; thence N89°0'10"W, 447.82' to the P.O.B. as shown by Plat recorded April 19, 2007, as Doc. 950363, in Book 3486, at Page 43. ALSO The SW1/4 of Sect.10, T13N, R4, except Lot 1 of Hathaway's Subdivision thereof. ("South Farm"). PIN: 04-15-100-002: The NE1/4 of the NW1/4 of Sect. 15, T13N, R4. **[276]** PIN: 04-05-300-002: The S1/2 of the SW1/4 of Sect. 5, T13N, R4. PIN: 04-06-300-003: The S1/2 of Lot 1 of the SW Fractional 1/4 of Sect. 6, T13N, R4. PIN: 04-06-400-002: The S1/2 of the SE1/4 of Sect. 6, T13N, R4. PIN: 04-06-400-003: The N1/2 of the SE1/4 of Sect. 6, in T13N, R4; EXCEPTING: Lot 1 of Morgan Subdivision, a part of said SE1/4 of Sect. 6, per Plat filed in Book 31 of Plats, Page 52, Doc. 833549. PIN: 04-07-400-001: The N1/2 of the SE1/4 of Sect. 7, T13N, R4; EXCEPTING: A tract commencing at the NE corner of said 1/4 as the P.O.B.; thence S 01°07'55"E along the E line of said 1/4 for 295.00'; thence S89° 32'25"W parallel to the N line of said 1/4 for 382.00'; thence N01°07'55"W parallel to the E line of said 1/4, for 295.00' to a point on the N line of said 1/4; thence N89°32'25"E along said N line for 382.00' to the P.O.B. PIN: 04-08-100-003: The E1/2 of the NW1/4 of Sect. 8, T13N, R4. PIN: 04-08-300-002: The N1/2 of the SW1/4 of Sect. 8, T13N, R4, EXCEPTING: A tract commencing at the NW corner of SW1/4 of said Sect. 8, and running thence E 341.7' along the N line of said SW1/4 of Sect. 8 to an iron pipe, thence S 255' to an iron pipe, thence W parallel with N line of said SW1/4 of Sect. 8 a distance of 341.7' to the W line of said Sect. 8, thence N along the W line of said Sect. 8 a distance of 255' to P.O.B., subject to rights of public in hwy. along and adjacent to the W line of said Sect. 8 per Plat of a survey by R.J. Watson Jr. dated Jan. 20, 1960. PIN: 04-08-300-003: The S1/2 of the SW1/4 of Sect. 8, T13N, R4. PIN: 04-09-400-002: The SE1/4 of Sect. 9 in T13N, R4, EXCEPTING: Parcel 1: Commencing at the NE corner of the aforesaid SE1/4 of Sect. 9, thence S89°49'44"W along the N line of the SE1/4 of Sect. 9, 43.16' to the intersection of said N line with the existing W ROW line of S.B.I. Rte. 83 (IL Rte. 17), said existing W ROW line being parallel with and 40.00' measured perpendicular W of the existing centerline of S.B.I. Rte. 83 (IL Rte. 17), said intersection to be the P.O.B. of the parcel to be described; From the P.O.B. thence S0°06'59"E along the aforesaid existing W ROW line of S.B.I. Rte. 83 (IL Rte. 17), 222.53'; thence N11°25'35"W, 101.98' to a point on a line parallel with and 60.00' measured perpendicular W of the existing centerline of S.B.I. Rte. 83 (IL Rte. 17), thence N0°06'59"W along the said parallel line, 122.51' to the intersection of said parallel line, with the aforesaid N line of the SE1/4 of Sect. 9; thence N89°49'44"E along the N line of the SE1/4 of Sect. 9, 20.00' to the P.O.B. Parcel 2: A tract of land being a part of the SE1/4 of Sect. 9, T13N, R4. More particularly bounded and described as follows and bearings are for the purpose of description only: Commencing at an iron rod at the NE corner of the SE1/4 of said Sect. 9; thence S01°01'04" W, along the E line of the SE1/4 of said Sect. 9, a distance of 575.00' to the P.O.B. for the tract to be described; thence continuing S01°01'04" W, along the E line of the SE1/4 of said Sect. 9, a distance of 267.00'; thence N88°58'56"W, 535.25' to an iron rod; thence N01°01'04"E, 247.80' to an iron rod; thence N88°57'47"E, 535.59' to the P.O.B. PIN: 04-18-300-002: Tract 1: A part of the NW1/4 of Sect. 19, T13N, R4, more particularly bounded and described as follows: Beginning at an iron rod at the NW corner of said NW 1/4 of said Sect. 19; thence S89°44'16"E, along the N line of the NW 1/4 of said Sect. 19, a distance of 779.75' to the centerline of a creek; thence S10°50'00"W, along said centerline, 73.45'; Thence S00°45'58"W, along said centerline, 359.33' to its intersection with a waterway; Thence N73°26'55"W, along said waterway, 795.12' to the W line of the NW 1/4 of said Sect. 19; thence N00°17'10"E, along the W line of the NW 1/4 of said Sect. 19, a distance of 208.50' to the P.O.B. Tract 2: A part of the SW1/4, Sect. 18, T13N, R4 more particularly bounded and described as follows: EXCEPT the following described tract: Beginning at an iron rod at the SE corner of the SW 1/4 of said Sect. 18; thence N89°44'16"W, along the S line of the SW 1/4 of said Sect. 18, a distance of 1261.88' to the centerline of a creek; thence N10°50'00"E, 40.02'; thence N49°48'27"E, 194.65'; thence N71°39'30"E, 368.72'; thence N66°11'39"E, 211.58'; thence N83°34'08"E, 567.91' to

the E line of the SW ¼ of said Sect. 18, the last 5 named courses being along said centerline of a creek; thence S00°17'40"W , along the E line of the SW ¼ of said Sect. 18, a distance of 435.75' to the P.O.B. Said Tracts 1 and 2 are also known as Tract III and Tract IV per survey recorded March 12, 2001 as Doc. 876136 in Book of Plats 34, Page 52. PIN: 04-16-200-003: The W1/2 of the NE1/4 of Sect. 16, T13N, R4; EXCEPTING: "Collmar Subdivision," a Plat recorded at Book 31 of Plats, Page 38, the exterior boundaries described as follows: Commencing at a brass plug at the SE corner of the NE1/4 of said Sect. 16; thence S89°58'20"W, along the S line of the NE1/4 of said Sect. 10, a distance of 1312.52' to the SE corner of the W1/2 of the NE1/4 of said Sect. 16 and the P.O.B. for the tract to be described; thence continuing S89°58'20"W, along the S line of the NE1/4 of said Sect. 16, a distance of 531.25'; thence N00°02'51"W, 409.98' to an iron rod; thence N89°58'20" E, 531.25' to a concrete monument on the E line of the W1/2 of the NE1/4 of said Sect. 16; thence S00°02'51"E, along the E line of the W1/2 of the NE1/4 of said Sect. 16, a distance of 409.98' to the P.O.B. PIN: 04-10-200-003: The NE1/4 of Sect. 10, T13N, R4; EXCEPTING: Lot 1, known as "THULINE SUBDIVISION", a subdivision of the NE1/4 of Sect. 10, per a Plat recorded Aug. 10, 2001 in Book 35, Page 11 as Doc. 881578. PIN: 04-10-400-001: The W1/2 of the SE1/4 of Sect. 10, T13N, R4. PIN: 04-11-200-001: The N 27.44 acres of the W 1/3 of the NE1/4 of Sect. 11, T13N, R4. PIN: 04-29-200-003: The E1/2 of the NE1/4 of Sect. 29, T13N, R4. PIN: 04-30-400-003: The SW1/4 of the SE1/4 of Sect. 30; and a strip of land lying S of the hedge running across the S end of the NW1/4 of the SE1/4 of Sect. 30, containing ¾ acre. T13N, R4. PIN: 04-30-300-004: The S1/2 of Lot 1 of the SW1/4 of Sect. 30 except the W 8 acres thereof. T13N, R4. PIN: 04-30-300-003: A tract located in the SW1/4 of Sect. 30, T13N, R4 commencing at the SE corner of the NE1/4 of the SW1/4 of Sect. 30 and running thence N 20 rods, thence W 16 chains and 4 links to a stone corner, thence S 20 rods, thence E 16 chains and 4 links to the P.O.B. PIN: 04-30-400-004: The SE1/4 of the SE1/4 of Sect. 30 T13N, R4. [283] PIN: 04-21-300-002: The N1/2 of the SW1/4 of Sect. 21, T13N, R4. PIN: 04-21-300-003: The S1/2 of the SW1/4 of Sect. 21 T13N, R4. PIN: 04-20-400-001: The SE1/4 of Sect. 20 in T13N, R4. [687] PIN: 04-16-400-001: The W1/2 of the SE1/4 of Sect. 16, in T13N, R4, known as Lot 7 of the School Subdivision of Sect. 16, per Plat recorded in Vol. 47 on Page 55. PIN: 04-20-300-001: The N1/2 of the SW1/4 of Sect. 20, T13N, R4. PIN: 04-20-300-002: The S1/2 of the SW1/4 of Sect. 20 T13N, R4. PIN: 04-21-400-004: A tract located in a part of the SE1/4 of Sect. 21, T13N, R4, beginning at a brass monument at the SE corner of the SE1/4 of said Sect. 21; thence N89°36'46"W, along the S line of the SE1/4 of said Sect. 21, a distance of 2631.57' to a stone at the SW corner of the SE1/4 of said Sect. 21; thence N00°14'00"W, along the W line of the SE1/4 of said Sect. 21, a distance of 931.16' to an iron rod; thence S89°36'46"E, 2375.60' to a concrete monument at the SW corner of Dale David Cory Gibbs Subdivision; thence N90°00'00"E, along the S line of said Subdivision and said S line extended 257.83' to the E line of SE1/4 of said Sect. 21, S00°7'6"E, along the E line of the SE1/4 of said Sect. 21, a distance of 932.88' to the P.O.B. PIN: 04-21-400-005: The SE1/4 of Sect. 21, T13N, R4 EXCEPTING: (1) The S 56.28 acres beginning at a brass monument at the SE corner of the SE1/4 of said Sect. 21 thence N89°36'46"W , along the S line of the SE1/4 of said Sect. 21, a distance of 2631.57' to a stone at the SW corner of the SE1/4 of said Sect. 21; thence N00°14'00"W, along the W line of the SE1/4 of said Sect. 21, a distance of 931.16' to an iron rod; thence S89°36'46"E , 2375.60' to a concrete monument at the SW corner of Dale David Cory Gibbs Subdivision; thence N90°00'00"E, along the S line of said Subdivision and said S line extended, 257.83' to the E line of the SE1/4 of said Sect. 21; S00°7'E, along the E line of the SE1/4 of said Sect. 21, a distance of 932.88' to the P.O.B. PIN: 04-28-200-002: The NE1/4 of Sect. 28, T13N, R4; EXCEPTING: Lot 1 of the Appell Subdivision commencing at a point 985.48' S of the NE corner of Sect. 28, thence S 306.55,' thence W 659.27', thence N 303.13', thence E 654.77' to the P.O.B. PIN: 04-29-100-002; 04-29-100-001: The N 39.4 acres of the NW1/4 of Sect. 29 T13N, R4. [684] PIN: 04-21-200-003: A tract of land the S 40 acres of the NE 1/4 of Sect. 21, T13N, R4 beginning at a brass plug at the SE corner of the NE 1/4 of said Sect. 21; thence S89°52'14"W, along the S line of the NE 1/4 of said Sect. 21, a distance of 2623.40' to the SW corner of the NE 1/4 of said Sect. 21; thence N00°07'33"W, along the W line of the NE 1/4 of said Sect. 21, a distance of 664.06' to an iron rod; thence N89°52'14"E, 2624.35' to the E line of the NE 1/4 of said Sect. 21; thence S00°02'37"W, along the E line of the NE 1/4 of said Sect. 21, a distance of 664.06' to the P.O.B. PIN: 04-29-200-004: The N1/2 of the W1/2 of the NE1/4 of Sect. 29, T13N, R4. PIN: 04-16-300-002: Part of the E1/2 of the SW1/4 of Sect. 16, described as Lot 6 of said Sect. 16, T13N, R4 , EXCEPT a tract beginning at the NE corner of the SW1/4 of said Sect. 16; thence S00°04'21"E , 45.57' on the E line of the SW1/4 of said Sect. 16; thence N89°39'06"W , 511.46'; thence S79°02'12"W , 101.98'; thence N89°39'05"W, 50.00'; thence N78°20'23"W, 101.98'; thence N89°39'05"W, 543.72'; to the W line of the E1/2 of the SW1/4 of said Sect. 16; thence N00°08'05"E, 40.38' on said W line to the NW corner of the E1/2 of the SW1/4 of said Sect. 16; thence S89°52'47"E, 1,305.00' on the N line of the SW1/4 of said Sect. 16 to a P.O.B. [284] PIN: 04-17-300-002: The N ½ of the SW1/4 of Sect. 17 with the exception of two (2) acres more or less off the N end of the E1/2 thereof, being designated as Lot 1, and excepting that part of the N1/2 of the SW1/4 of Sect. 17, T13N, R4 commencing at an iron rod at the NW corner of the N1/2 of the SW1/4 of said Sect. 17; thence E, along the N line of the N1/2 of the SW1/4 of said Sect. 17, a distance of 1133.4'; thence S1°53'E, 33.0' to the P.O.B. for the tract to be described; thence continuing S1°53'E, 289.1' to an iron rod; thence E, 156.95' to an iron rod; thence N0°23'W, 78.8' to an iron rod; thence N87°26'E, 172.1' to an iron rod; thence N01°23'W, 169.5' to an iron rod; thence West, 66.0' South of and parallel with the N line of the N1/2 of the SW1/4 of said Sect. 17, a distance of 140.0'; thence in a Northerly direction, 33.0'; thence W 33.0' S of and parallel with the N line of the N1/2 of the SW1/4 of said Sect. 17, and also being along the approximate centerline of Co. Hwy. 4, a distance of 192.85' to the P.O.B., all being in T13N, R4. PIN: 04-29-100-004: The S 58.5 acres of the E1/2 of the NW1/4 of Sect. 29, T13N, R4. PIN: 04-29-100-006: The S 58.5 acres of the W1/2 of the NW1/4 of Sect. 29, T13N, R4 , EXCEPT beginning 428.61' N of the SW corner of said NW1/4; thence N 202'; thence E 233'; thence N 298'; thence E 197'; thence S 500'; thence W 430' to P.O.B. PIN: 04-29-200-005: The S1/2 of the W1/2 of the NE1/4 of Sect. 29, T13N, R4. PIN: 04-19-400-002: The S 100 acres of the SE1/4 of Sect. 19, situate in T13N, R4; EXCEPT the E 460.00' of the S 865.00' of the SE1/4 of Sect. 19. PIN: 04-30-200-003: The E1/2 of the NE1/4 of Sect. 30 situate in T13N, R4; EXCEPT the W 300' of the E 460' of the N 115' and the N 20' of the E 160' of the NE1/4 of Sect. 30, all in T13N, R4. PIN: 04-28-100-003: The NW1/4 of Sect. 28, T13N, R4; EXCEPT: Tract 1: A tract in the NW1/4 of Sect. 28, T13N, R4 beginning at the NW corner of the NW1/4 of Sect. 28, thence running E along the N line of said Sect. 28, 580.8' to a point; thence running S parallel with the W line of said Sect. 28, 300.0' to a point; thence running W parallel with the N line of said Sect. 28; thence running N along the W line of said Sect. 28, 300.0', more or less to the P.O.B. Tract 2: A tract in the NW1/4 of Sect. 28, T13N, R4 beginning 1290.0' S of the NW1/4, of said Sect. 28 thence running E parallel with the N line of said Sect. 28, 440.0' to a point; thence running S parallel with the W line of said Sect. 28, 396.0' to a point; thence running W parallel with the N line of said Sect. 28, 440.0' more or less, to the W line of said Sect. 28; thence running N along the W line of said Sect. 28, 396.0', more or less to a P.O.B. [286] PIN: 03-35-400-003: Part of the SE1/4 of Sect. 35, T13N, R3 commencing at an iron rod at the NE corner of the SE1/4 of said Sect. 35; thence S00°13'24"W, along the E line of said SE1/4, a distance of 335.50' to the P.O.B. for the tract to be described: thence continuing S00°13'24"W, along said E line, a distance of 609.91'; N89°40'20"W, a distance of 2643.17' to the W line of said SE1/4; thence N00°20'32"E, along said W line, a distance of 609.91'; thence S89°40'20"E, a distance of 2641.91' to the P.O.B. EXCEPT any part of a 0.5 acre exception along the E line within the public road ROW as described in Deed Book 95 Page 294. [158] PIN: 04-11-300-004: Part of the SW¼ of Sect. 11, all in T13N, R4 commencing at a stone at the SE corner of the SW¼ of said Sect. 11; thence N89°45'37"W, along the S line of the SW¼ of said Sect. 11, a distance of 1221.04'; thence 00°14'23"E, a distance of 417.69' to the SW corner of an existing Lot 1 of "Mark Jones Subdivision" and the center line of a public road; thence S79°09'48"W, along said

center line, a distance of 210.89' to the P.O.B. for the tract to be described; S73°46'31"W, a distance of 469.68'; S72°10'40"W, a distance of 616.63'; S75°05'51"W, a distance of 104.74'; S79°29'51"W, a distance of 109.36' to the W line of the SW¼ of said Sect. 11. The last 4 named courses being along said center line; thence N00°22'16"W, along the W line of the SW¼ of said Sect. 11, a distance of 2662.70' to an iron rod at the NW corner of the SW¼ of said Sect. 11; thence S89°57'51"E, along the N line of said SW¼, a distance of 2670.87' to the NE corner of the SW¼ of said Sect. 11; thence S00°25'07"E, along the E line of the SW¼ of said Sect. 11, a distance of 1847.86' to the center line of a public road; thence S70°29'04"W, a distance of 793.49'; thence S70°53'48"W, a distance of 157.48'; thence S50°41'46"W, a distance of 120.44' to the SE corner of said Lot 1; thence N39°18'00"W, a distance of 33.00' to a concrete monument; thence N20°40'42"W, a distance of 112.82' to an iron rod; thence N28°26'36"W, a distance of 44.76' to an iron rod. The last 3 named courses being along the easterly side of said Lot 1; thence S82°01'55"W, along the N side of said Lot 1 and a said line extended, a distance of 238.12' to an iron rod, thence S26°51'03"W, a distance of 73.42' to an iron rod; thence S58°47'20"W a distance of 81.27' to an iron rod; thence S04°48'46"E, a distance of 163' feet to the P.O.B. [691] PIN: 04-11-400-013: That portion of the E-2/3 of the SE¼ of Sect. 11, T13N, R4 lying N of the ROW of a public road running along the S side of the above described tract; EXCEPT: Lot 1 of the Dale Jones Subdivision in accordance with a Plat recorded at Vol. 27 of Plats, Page 65 and the N 250' of even width of the above-described tract. PINs: 04-11-100-001; 04-11-400-001; 04-11-200-003: The NW¼ of Sect. 11; the S 27.65 acres of the W1/3 of the NE¼ of Sect. 11; all that part of the W1/3 of the SE¼ of Sect. 11 which lies N of the Hwy intersecting said SE¼ all in T13N, R4. [290] PIN: 03-20-400-002: The NE¼ of the SE¼ of Sect. 20, T13N, R3. [291] PIN: 03-13-200-008: Tract 1 - The NE¼ of the NE¼ of Sect. 13, T13N, R3. Tract 2 - The N1/2 of the SE¼ of the NE¼ of Sect. 13, T13N, R3. PIN: 03-12-400-008: The NW¼ of the SE¼ of Sect. 12, T13N, R3. PIN: 03-12-400-011: The NE¼ of the SE¼ of Sect. 12, in T13N, R3 EXCEPT the SE¼ of the SE¼ of the NE¼ of the SE¼ of Sect. 12 in T13N, R3 recorded as Doc. 734659 in Book 1314, Page 74. PIN: 03-12-400-013: The SE¼ of the SE¼ of Sect. 12, in T13N, R3 EXCEPT the N1/2 of the NE¼ of the NE¼ of the SE¼ of the SE¼ of Sect. 12 in T13N, R3 recorded as Doc. 734659 in Book 1314, Page 074. [292] PIN: 03-21-400-006: The S 15 acres of the N 49 acres of the E 109 acres of the SE¼ of Sect. 21, T13N, R3. PIN: 03-22-300-001: The SW¼ of Sect. 22, T13N, R3. [294] PIN: 03-24-400-004: A part of the SE¼ of Sect. 24, T13N, R3 commencing at an iron rod at the SW corner of the SE¼ of said Sect. 24; thence N00°25'00"W, along the W line of the SE¼ of Sect. 24, a distance of 1764.95' to a point W of an iron rod and the P.O.B. for the tract to be described; thence continuing N00°25'00"W, along the W line of the SE¼ of said Sect. 24, a distance of 526.24' to a point W of an iron rod; thence N89°45'00"E, 1255.52' to an iron rod; thence S00°26'21"E, 514.22' to an iron rod; thence S89°12'05"W, 1255.74' to the P.O.B. PIN: 07-01-100-003: The S1/2 of the NW¼ of Sect. 1, T12N, R3, EXCEPT the S 10 acres thereof. PIN: 03-24-200-003: The N1/2 of the NE¼ of the NE¼ and the N1/2 of the S1/2 of the NE¼ of the NE¼ of Sect. 24, T13N, R3. PIN: 03-24-200-008: The NE¼ of Sect. 24, T13N, R3; EXCEPT the W 60 acres thereof, and the N 30 acres of the NE¼ of the NE¼. [295] PIN: 03-35-300-001: The SW¼ of Sect. 35, T13N, R3. PIN: 07-02-100-001: The N1/2 of the NW¼ of Sect. 2, T12N, R3. [018] PIN: 02-23-200-003: The S1/2 of the NE¼ of Sect. 23 in T13N, R2. [653] PIN: 02-23-400-001: The N1/2 of the SE¼ of Sect. 23, T13N, R2, excepting therefrom Woodlawn North Subdivision per Plat of said Subdivision recorded in Vol. 22 of Plat Records, Page 65. [656] PIN: 02-24-200-003: The S1/2 of the NE¼ of Sect. 24 in T13N, R2. [237] PIN: 07-06-200-001: The W1/2 of the NE¼ of Sect. 6, in T12N, R3. [306] PIN: 03-25-300-001: The W1/2 of the SW¼ of Sect. 25, T13N, R3. PINs: 03-28-200-003; 03-28-200-006: Part of the NE¼ of Sect. 28, T13N, R3 beginning at an iron rod at the NE corner of the NE¼ of said Sect. 28; thence S00°44'42"W, along the E line of said NE¼, a distance of 2667.40' to a Mag Nail at the SE corner of said NE¼; thence N89°01'01"W, along the S line of said NE¼, a distance of 1389.99' to the SE corner of a 5.04-acre tract; thence N01°04'33"E, a distance of 229.50' to an iron rod; thence N12°21'01"W a distance of 155.53' to an iron rod; thence N41°29'53"W, a distance of 102.49' to an iron rod; thence N60°36'44"W, a distance of 107.10' to an iron rod; thence N73°48'08"W, a distance of 214.00' to the W line of the E 110 acres of said NE¼. The last 5 named courses being along the E and N sides of said 5.04 acres; thence N00°44'42"E, along the W line of said iron rod, a distance of 2113.70' to an iron rod on the N line of said NE¼; thence S88°42'09"W, along said N line, a distance of 1793.13' to the P.O.B. AND Part of the NE¼ of Sect. 28, T13N, R3 commencing at an iron rod at the NE corner of the NE¼ of said Sect. 28; thence N88°42'09"W, along the N line of said NE¼, a distance of 1765.59' to the NW corner of the E 110 acres of said NE¼ and the P.O.B. for the tract to be described; thence S00°44'42"W, along the W line of said 110 acres, a distance of 2113.70' to the N line of a 5.04 acre tract; thence N73°48'08"W, along said N line, a distance of 42.74' to the center of Co. Hwy 12; thence N00°56'41"E along said center line, a distance of 2102.65' to the N line of said NE¼; thence S88°42'09"E, along said N line, a distance of 33.87' to the P.O.B. [310] PIN: 03-26-100-003: The NW¼ of Sect. 26 in Walnut Grove Township, T13N, R3, EXCEPT Lot 1 in Burns Subdivision Number 2, per Plat recorded in Vol. 32 of Plat Records, Page 28. PIN: 03-03-300-003: The E1/2 of the SW¼ of Sect. 3, T13N, R3. [312] PIN: 03-28-400-003: The E1/2 of the SE¼ of Sect. 28, T13N, R3. PIN: 03-34-100-003: The S1/2 of the S1/2 of the NW¼ of Sect. 34, T13N, R3. [264] PIN: 04-30-300-002: The E 25 acres of the NE¼ of the SW¼ of Sect. 30, T13N, R4. PIN: 04-30-100-001: The NW¼ of Sect. 30, T13N, R4, EXCEPT: Tract commencing at a point 26' E of the NW corner of said Sect. 30 as a P.O.B.; thence E 4'; thence S 2640'; thence W 1.5'; thence N 2640' to the P.O.B. [290] PIN: 03-20-400-001: The W1/2 of the SE¼ of Sect. 20, T13N, R3. [333] PIN: 07-08-300-006: The W1/2 of the W1/2 of the SW¼ of Sect. 8 in T12N, R3; EXCEPT the S 382.84' of the W 210.16' thereof. [338] PIN: 03-13-300-003: The N1/2 of the W1/2 of the SW¼ of Sect. 13, T13N, R3; EXCEPT: Part of the N1/2 of the W1/2 of the SW¼ of Sect. 13, T13N, R3 beginning at the NW corner of said N1/2 of the W1/2 of the SW¼; thence S87°51'57"E, 1,317.12' on the N line of said N1/2 of the W1/2 of the SW¼ to the NE corner of said N1/2 of the W1/2 of the SW¼; thence S00°30'02"W, 32.89' on the E line of said N1/2 of the W1/2 of the SW¼; thence N87°46'44"W, 54.31'; thence S86°30'53"W, 50.29'; thence N87°46'44"W, 150.00'; thence N85°53'11"W, 300.16' to the existing Southerly ROW line of Knox Co. Hwy. 4 as shown on ROW plat recorded in Book 36 of Plats, Page 97 as Doc. 916061; thence N88°35'29"W, 361.87' on said existing southerly ROW line; thence S01°24'31"W, 10.00' on said existing southerly ROW line; thence N88°35'29"W, 37.69' on said existing southerly ROW line; thence S76°50'04", 51.66'; thence N88°35'29"W, 50.00'; thence N74°01'02"W, 51.66' to the existing southerly ROW line of Knox Co. Hwy 4; thence N88°35'29"W, 141.53' on said existing southerly ROW line; thence S45°21'32"W, 39.28' to the existing easterly ROW line of Knox Rd. 1700E; thence N89°19'13"W, 44.01' to the W line of said N1/2 of the W1/2 of the SW¼; thence N00°40'47"E, 75.64' on said W line to the P.O.B. PIN: 03-13-300-004: The S1/2 of the W1/2 of the SW¼ of Sect. 13, T13N, R3. [352] PIN: 03-14-400-004: The S1/2 of the W1/2 of the SE¼ of Sect. 14, in T13N, R3. [487] PINs: 03-21-400-004; 03-21-400-005; 03-21-400-007: Part of the SE¼ of Sect. 21, T13N, R3 beginning at an iron rod at the SE corner of the SE¼ of said Sect. 21; thence N88°42'09"W, along the S line of said SE¼, a distance of 1765.59' to the SW corner of the E 109 acres of said SE¼; thence N00°46'28"E, along the W line of said 109-acre tract, a distance of 1473.00' to an iron rod on the N line of a parcel described as the S 19 acres of the of the N 68 acres of said 109 acres; thence S88°42'09"E, along said N line, a distance of 1765.59' to an iron rod on the E line of said SE¼; thence S00°46'28"W, along said E line, a distance of 1473.00' to the P.O.B. AND Part of the SE¼ of Sect. 21, T13N, R3 commencing at an iron rod at the SE corner of the SE¼ of said Sect. 21; thence N88°42'09"W, along the S line of said SE¼, a distance of 1765.59' to the SW corner of the E 109 acres of said SE¼ and the P.O.B. for the tract to be described; thence continuing N88°42'09"W, a distance of 61.41' to the center of Co. Hwy 12; thence N00°46'43"E, along said center line, a distance of 1473.00'; thence S88°42'09"E, a distance of 61.31' to an iron rod on the W line of said E 109 acres; thence S00°46'28"W, along said W

line, a distance of 1473.00' to the P.O.B. **[346]** PIN: 03-13-100-006: The S 37.92 acres of the W1/2 of the NW1/4 of Sect. 13, T13N, R3 EXCEPT a tract beginning at the SW corner of the W1/2 of the NW1/4 of said Sect. 13; thence N00°32'05"E, 49.13' on the W line of said W1/2 of the NW1/4; thence S89°27'55"E, 43.43' to the existing Easterly ROW line of Knox Rd. 1700E as shown on ROW Plat in Book 36, Page 96 recorded as Doc. 916060; thence S80°47'41"E, 122.21' to the existing Northerly ROW line of Knox Co. Hwy 4 as shown in said ROW Plat; thence S88°35'29"E, 50.00' on said existing Northerly ROW line; thence N79°24'42"E, 81.79'; thence S88°35'29"E, 35.00'; thence S68°12'54"E, 37.34'; thence S86°31'47"E, 250.16'; thence S88°34'44"E, 15.35'; thence S87°46'44"E, 500.12'; thence N79°54'47"E, 56.29'; thence S87°46'44"E, 20.00'; thence S77°28'26"E, 55.90'; thence S87°46'44"E, 57.27' to the E line of said W1/2 of the NW1/4; thence S00°32'35"W, 37.14' on said E line to the SE corner of said W1/2 of the NW1/4; thence N87°51'57"W, 1,317.12' on the S line of said W1/2 of the NW1/4 to the P.O.B. PIN: 03-15-400-002: Lot 2 in the SE1/4 of Sect. 15, T13N, R3; EXCEPT a tract commencing at the NW corner of the SE1/4 of said Sect. 15; thence S88°32'47"E, 83.10' on the N line of said SE1/4 to the NW corner of said Lot 2 and the P.O.B.; thence continuing S88°32'47"E, 1,329.72' on said N line to the NE corner of said Lot 2; thence S00°41'16"W, 35.17' on the E line of said Lot 2; thence S89°31'08"W, 56.01'; thence N88°28'35"W, 443.00'; thence S86°37'28"W, 35.13'; thence S60°33'35"W, 29.15'; thence N88°28'35"W, 30.00'; thence N82°45'57"W, 50.25'; thence N88°28'35"W, 324.46'; thence N88°46'55"W, 42.27'; thence S01°13'05"W, 12.00'; thence N88°46'55"W, 100.00'; thence N76°22'28"W, 102.39'; thence N86°52'22"W, 123.96' to the W line of said Lot 2; thence N00°39'04"E, 36.33' on said W line to the P.O.B. **[347]** PIN: 03-13-300-002: The E1/2 of the SW1/4 of Sect. 13, T13N, R3; EXCEPT a tract beginning at the NE corner of said E1/2 of the SW1/4; thence S00°19' 11"W, 36.89' on the E line of said E1/2 of the SW1/4; thence N87°46'44"W, 321.70'; thence S82°23'15"W, 76.12'; thence N87°46'44"W, 25.00'; thence N79°14'53"W, 101.12'; thence N87°46'44"W, 350.00'; thence N83°57'53"W, 75.17' to the existing southerly ROW line of Knox Co. Hwy 4; thence N87°46'44"W, 174.96' on an existing Southerly ROW line; thence S80°55'39"W, 25.53'; thence N87°46'44"W, 170.66' to the W line of said E1/2 of the SW1/4; thence N00°30'02"E, 32.89' on said W line to the NW corner of said E1/2 of the SW1/4; thence S87°51'57"E, 1,317.12' on the N line of said E1/2 of the SW1/4 to the P.O.B. ROW. PIN: 03-13-100-005: The N 40.88 acres of the W1/2 of the NW1/4 of Sect. 13, T13N, R3 East of the Fifth Principal Meridian; EXCEPT a tract beginning at the SW corner of the W1/2 of the NW1/4 of said Sect. 13; thence N00°32'05"E, 49.13' on the W line of said W1/2 of the NW1/4; thence S89°27'55"E, 43.43' to the existing Easterly ROW line of Knox Rd. 1700E as shown on ROW Plat in Book 36, Page 96 recorded as Doc. 916060; thence S80°47' 41"E, 122.21' to the existing Northerly ROW line of Knox Co. Hwy 4 as shown in said ROW plat; thence S88°35'29"E, 50.00' on said existing Northerly ROW line; thence N79°24'42"E, 81.79'; thence S88°35'29"E, 35.00'; thence S68°12'54"E, 37.34'; thence S86°31'47"E, 250.16'; thence S88°34'44"E, 15.35'; thence S87°46'44"E, 500.12'; thence N79°54'47"E, 56.29'; thence S87°46'44"E, 20.00'; thence S77°28'26"E, 55.90'; thence S87°46'44"E, 57.27' to the E line of said W1/2 of the NW1/4; thence S00°32'35"W, 37.14' on said E line to the SE corner of said W1/2 of the NW1/4; thence N87°51'57"W, 1,317.12' on the S line of said W1/2 of the NW1/4 to the P.O.B. **[262]** PIN: 03-29-300-002: The E1/2 of the SW1/4 of Sect. 29 in T13N, R3. **[057]** PIN: 03-20-400-003: The S1/2 of the E1/2 of the SE1/4 of Sect. 20 in T13N, R3. **[350]** PIN: 03-13-400-005: The E1/2 of the SE1/4 of Sect. 13, T13N, R3; EXCEPT the E 2/3 of the NE1/4 of the SE1/4 of Sect. 13, T13N, R3 ALSO EXCEPTING Part of the E1/2 of the SE1/4 of Sect. 13, T13N, R3, commencing at the NE corner of the SE1/4 of said Sect. 13; thence N87°54'45"E, 877.92' on the N line of said SE1/4 to the NW corner of the E2/3 of the NE1/4 of the SE1/4 of Sect. 13 and the P.O.B.; thence S00°29'31"W, 33.98' on the W line of said E 2/3 of the NE1/4 of the SE1/4 to the existing Southerly ROW line of Knox Co. Hwy 4; thence N87°46'44"W, 438.54' on said existing Southerly ROW line to the W line of the E1/2 of the SE1/4 of Sect. 13; thence N00°27'31"E, 32.96' on the W line of said E1/2 of the SE1/4 to the NW corner of said E1/2 of the SE1/4; thence S87°54'45"E, 438.53' on the N line of the SE1/4 of Sect. 13 to the P.O.B. **[631]** PIN: 03-23-100-005: The E1/2 of the NW1/4 of Sect. 23, in T13N, R3. PIN: 03-24-100-007: The NW1/4 of the NW1/4 of Sect. 24, T13N, R3; EXCEPT a tract commencing at the NW corner of the NW1/4 of the NW1/4 of said Sect. 24, being the P.O.B.; thence E 683.75' to a point; thence S 638' to a point; thence W 683.75' to a point; thence N 638' to the P.O.B. **[060]** PIN: 03-22-400-001: The N1/2 of the SE1/4 of Sect. 22 in Walnut Grove Township, T13N, R3. PIN: 03-24-100-005: The SE1/4 of the NW1/4 of Sect. 24 in Walnut Grove Township, T13N, R3. PIN: 03-24-100-003: The NE1/4 of the NW1/4 of Sect. 24 in Walnut Grove Township, T13N, R3. PIN: 04-16-100-004: The W1/2 of the NW1/4 of Sect. 16 in Lynn Township, T13N, R4; EXCEPT Lot 1 of Jonesville Subdivision recorded in Vol. 26 of Plats, Page 120. PIN: 03-23-300-004: The N1/2 of the SW1/4 of Sect. 23 in Walnut Grove Township, T13N, R3, less and EXCEPT: "Turkey Hill Subdivision," a part of the N1/2 of the SW1/4 of Sect. 23, T13N, R3 commencing at an iron rod at the SW corner of the SW1/4 of said Sect. 23; thence N00°08'10"E, along the W line of the SW1/4 of Sect. 23, a distance of 1339.94' to an iron rod at the SW corner of the N1/2 of the SW1/4 of said Sect. 23 and the P.O.B. for the tract to be excepted; thence continuing N00°08'10"E, along the W line of the SW1/4 of said Sect. 23, a distance of 534.56'; thence N86°54'40"E, 256.53' to an iron rod; thence S73°58'41"E, 196.25' to an iron rod; thence S18°57'33"E 165.42' to an iron rod; thence S45°51'29"E, 396.37' to an iron rod; thence S16°10'30"E, 59.81' to a concrete monument on the S line of the N1/2 of the SW1/4 of said Sect. 23; thence S89°23'06"W, along the S line of the N1/2 of the SW1/4 of said Sect. 23, a distance of 900.81' to the P.O.B. of said excepted tract. **[351]** PIN: 03-27-300-001: The SW1/4 of Sect. 27, T13N, R3. PIN: 03-27-400-002 A tract of land located in a part of the SE1/4 of Sect. 27, T13N, R3 beginning at an iron rod at the NE corner of the SE1/4 of said Sect. 27; thence S00°17' 31"E, along the E line of the SE1/4 of said Sect. 27, a distance of 753.00'; thence S89°42'39"W, 257.00' to an iron rod; thence S37°15'20"W, 185.42' to an iron rod; thence S00°17'31"E, 150.00' to an iron rod; the last 3 named courses being along the N and W sides of an existing 2.33 acre tract; thence S89°42'29"W, 2284.14' to the W line of the SE1/4 of said Sect. 27, said point being 7.0' W of an iron rod; thence N00°00'50"W, along said W line, 1083.17' to an iron rod at the NW corner of the SE1/4 of said Sect. 27; thence S89°34'29"E, along the N line of the SE1/4 of said Sect. 27, a distance of 2649.09' to the P.O.B. PIN: 03-14-200-005: The E1/2 of the NE1/4 of Sect. 14, T13N, R3, EXCEPT Lot 1 of Florence Subdivision, a subdivision of part of the NE1/4 of Sect. 14, T13N, R3, ALSO EXCEPTING: Tract 1 - Part of the E1/2 of the NE1/4 of Sect. 14, T13N, R3 commencing at the SE corner of the E1/2 of the NE1/4 of said Sect. 14; thence N89°50'43"W, 756.81' on the S line of said E1/2 of the NE1/4 to the SW corner of the Florence Subdivision as shown in Book 30 of Plats, Page 30 recorded as Doc. 818584 and the P.O.B.; thence continuing N89°50'43"W, 551.90' on said S line to the SW corner of said E1/2 of the NE1/4; thence N00°37'06"E, 41.43' on the W line of said E1/2 of the NE1/4; thence S89°53'53"E, 22.00'; thence S00°06'07"W, 5.00'; thence S89°53'53"E, 375.00'; thence N86°17'16"E, 75.17'; thence S89°53'53"E, 80.18' to the W line of said Florence Subdivision; thence S00°59'27"W, 41.94' on said W line to the P.O.B. ROW. ALSO EXCEPTING: Tract 2 - Part of the E1/2 of the NE1/4 of Sect. 14, T13N, R3 beginning at the SE corner of the E1/2 of the NE1/4 of said Sect. 14; thence N89°50'43"W, 539.40' on the S line of said E1/2 of the NE1/4 of Sect. 14 to the SE corner of the Florence Subdivision recorded in Book 30 of Plats, Page 30, Doc. 818584; thence N00°59'27"E, 40.20' on the E line of said Florence Subdivision; thence N78°00'41"E, 104.76'; thence N53°13'55"E, 25.00'; thence S89°53'53"E, 30.00'; thence S53°01'42"E, 25.00'; thence S79°58'29"E, 132.21' to the existing Northerly ROW line of Knox Co. Hwy 4 as shown on ROW plat in Book 36 of Plats, Page 98 recorded as Doc. 916062; thence S89°44'20"E, 175.30' on said existing Northerly ROW line; thence N50°10'51"E, 24.31' to the existing Westerly ROW line of Knox Rd. 1700 E; thence S89°27'55"E, 42.59' to the E line of said E1/2 of the NE1/4; thence S00°32'05"W, 54.64' on said E line to the P.O.B. PIN: 03-23-100-002: The W1/2 of the NW1/4 of Sect. 23, T13N, R3. PIN: 03-14-400-003: The N1/2 of the W1/2 of the SE1/4 of Sect. 14, T13N, R3; EXCEPT: Part of the NW1/4 of the SE1/4 of Sect. 14, T13N, R3 beginning at the NW corner of said NW1/4 of the SE1/4; thence S89°50'43"E,

1308.72' on the N line of said NW1/4 of the SE1/4 to the NE corner of said NW1/4 of the SE1/4; thence S00°41'08"W, 48.58' on the E line of said NW1/4 of the SE1/4, thence S72°48'52"W, 33.65'; thence N89°53'53"W, 105.00'; thence N83°00'09"W, 191.57'; thence N89°34'23"W, 100.00'; thence S82°13'58"W 126.29'; thence N89°34'23"W, 205.00'; thence N56°32'57"W, 23.85'; thence N89°34'22"W, 79.52'; thence N89°49'23"W, 85.32'; thence S62°42'09"W, 28.18'; thence N89°49'23"W, 20.00'; thence N72°43'13"W, 68.01' to the existing Southerly ROW line of Knox Co. Hwy 4; thence N89°49'23"W, 200.00' on the existing Southerly ROW line; thence S78°33'56"W, 57.67' to the W line of said NW1/4 of the SE1/4; thence N00°41'28"E, 42.80' on said W line to the P.O.B. **[629]** PIN: 03-27-400-004: Part of the SE1/4 of Sect. 27, T13N, R3 beginning at an iron rod at the SE corner of the SE1/4 of said Sect. 27; thence N89°56'08"W, along the S line of the SE1/4 of said Sect. 27, a distance of 2661.82' to an iron rod at the SW corner of the SE1/4 of said Sect. 27; thence N00°00'50"W, along the W line of the SE1/4 of said Sect. 27, a distance of 1574.31' to a point 7' W of an iron rod; thence N89°42'29"E, 2284.14' to an iron rod at the SW corner of a 2.33-acre tract; thence S00°17'31"E, 146.83' to an iron rod; thence S37°15'20"E, 187.92' to an iron rod; thence N89°42'39"E, 257.00' to the E line of the SE1/4 of said Sect. 27; thence S00°17'31"E, along the E line of the SE1/4 of said Sect. 27, a distance of 1293.84' to the P.O.B. **[632]** PIN: 03-14-400-002: The E1/2 of the SE1/4 of Sect. 14, in T13N, R3. **[630]** PIN: 03-21-200-009: Lot 1 of the Subdivision of the NE1/4 of Sect. 21 in T13N, R3 per Plat recorded on Jan. 28, 1869, in Book 78, Page 80 as Doc. 53683; EXCEPT: Lot 1 of S.D. Erickson's Subdivision per Plat filed in Book 25 of Plats, at Page 124 AND a part of Lot 4 of said Subdivision of the NE1/4 of Sect. 21 beginning at the SE corner of said Lot 4; thence N along the E line of said Lot 4, 30 chains to a stone being the P.O.B. of the tract to be described; thence W 10.35 chains to a stone; thence S 17.69 chains to a stone being the SE corner of Walnut Grove Cemetery; thence E 10.35 chains, more or less, to a point on the E line of said Lot 4; thence N 17.69 chains, more or less, to the P.O.B. PIN: 03-22-100-004: The S1/2 of the NW1/4 and the W 15 acres of the N1/2 of the NW1/4 of Sect. 22, in T13N, R3. **[354]** PIN: 03-12-300-001: The N1/2 of the SW1/4 of Sect. 12, in T13N, R3. **[254]** PIN: 03-12-300-002: The S1/2 of the SW1/4 of Sect. 12 in T13N, R3. **[370]** PIN: 07-03-400-007: Part of the SE1/4 of the SE1/4 of Sect. 3, T12N, R3 beginning at the NE corner of the SE1/4 of said SE1/4 marked by an existing steel marker, thence S00°04'30"E 1083.32' to a point being on the E line of the SE1/4 of said SE1/4, thence S89°56'09"W 31.44' to a steel pipe; thence N47°33'43"W 868.29' to a steel pipe, thence N72°09'35"W, 339.83' to a steel pipe, thence N44°14'57"W 465.45' to an existing steel marker, thence N0°08'31"E 66.03' to the NW corner of the SE1/4 of said SE1/4 marked by an existing steel marker, thence S89°44'04"E 1319.27' to the P.O.B., shown as Tract "A" on a plat of survey dated Dec. 20, 1982, made by Associated Engineers 111, Inc., recorded in Vol. 24 of Plats, Page 53. PIN: 07-03-300-002: The NE1/4 of the SW1/4 of Sect. 3 in T12N, R3. PIN: 07-03-400-001: The N1/2 of the NW1/4 of the SE1/4, and the NE1/4 of the SE1/4, all in Sect. 3 in T12N, R3. **[371]** PIN: 07-02-300-003: The E1/2 of the SW1/4 of Sect. 2 in T12N, R3. **[378]** PIN: 07-08-200-003: The NE 1/4 of Sect. 8, T12N, R3; EXCEPT a tract beginning at an iron rod at the NW corner of the NE 1/4 of said Sect. 8; thence S89°52'07"E, along the N line of the NE 1/4 of said Sect. 8, a distance of 1468.27' to an iron rod; thence S11°39'00"W, 142.97' to an iron rod; thence S26°43'47"W, 718.30' to an iron rod; thence S34°25'47"W, 261.70' to an iron rod; thence S04°55'44"W, 1275.17' to an iron rod; thence S15°46'35"W, 412.39' to an iron rod on the S line of the NE 1/4 of said Sect. 8; thence N89°55'50"W, along the S line of the NE 1/4 of said Sect. 8, a distance of 743.05' to an iron rod at the SW corner of the NE 1/4 of said Sect. 8; thence N00°04'40"W, along the W line of the NE 1/4 of said Sect. 8, a distance of 2667.20' to the P.O.B. **[381]** PIN: 03-34-200-001: The NE1/4 of Sect. 34, T13N, R3. **[391]** PIN: 03-34-300-003: The SW1/4 of Sect. 34 in T13N, R3. **[393]** PIN: 03-33-200-001: The S1/2 of the NE 1/4 of Sect. 33 in T13N, R3. PIN: 03-34-100-002: The N1/2 of the S1/2 of the NW1/4 of Sect. 34 in T13N, R3. **[396]** PIN: 03-27-200-003: A tract of land being a part of the NE1/4 of Sect. 27 in Walnut Grove Township, T13N, R3 beginning at a stone at the NW corner of the NE1/4 of said Sect. 27; thence S89°40'40"E, along the N line of said NE1/4, a distance of 1262.00'; thence S00°09'10" E, along an existing fence line 2666.48' to an iron rod on the S line of said NE1/4; thence N89°47'37"W, along the S line of the said NE1/4, a distance of 1260.95' to an iron rod at the SW corner of said NE1/4; thence N00°10'30" W, along the W line of said NE1/4, a distance of 2669.04' to the P.O.B. EXCEPT Lot 1 of Charles L. Petersen Subdivision, a part of the NE1/4 of Sect. 27, T13N, R3 per Plat recorded April 23, 1991, in Book 27 of Plats, at Page 25. PIN: 03-22-400-002: The W 44 acres of the S1/2 of the SE1/4 of Sect. 22 all in Walnut Grove Township, T13N, R3. **[397]** PIN: 04-19-300-002; 04-19-300-004: The SW1/4 of Sect. 19 in T13N, R4; EXCEPT Part of the SW1/4 of Sect. 19, T13N, R4 beginning at the SW corner of the SW1/4 of said Sect. 19; thence N 00°33'25" E, along the W line of the SW1/4 of said Sect. 19, a distance of 738.05'; thence S89°25'08"E, a distance of 2064.41' to the E line of the SW1/4 of said Sect. 19; thence S 00°16'28"W, along the E line of the SW1/4 of said Sect. 19, a distance of 738.06', to the S line of the SW1/4 of said Sect. 19; thence N89°25'08"W, along the S line of the SW1/4 of said Sect. 19, a distance of 2068.07' to the P.O.B. described as Tract 1 on the Survey prepared by James A. Simpson of Bruner, Cooper & Zuck, Inc., recorded September 23, 2010 as Doc. 984253. PIN: 03-25-200-005: Lot 1 of Hazen Subdivision, being a part of the NE1/4 of Sect. 25 in Walnut Grove Township, T13N, R3 per Plat recorded in Vol. 33, Page 66. PIN: 03-25-200-001: The W1/2 of the NE1/4 of Sect. 25, T13N, R3. PIN: 03-25-200-004: The E1/2 of the NE1/4 of Sect. 25, T13N, R3; EXCEPT: Tract A - Commencing at a point on the E line of the NE1/4 of said Sect. 25, which is 448.5' S of the NE corner of the NE1/4 of Sect. 25, running from said point W parallel with the N line of the NE1/4 of Sect. 25, a distance of 240.00', thence S a distance of 210.00', thence E parallel with the N line of the NE1/4 of Sect. 25, a distance of 240.00', to the E line of the NE1/4 of Sect. 25, thence N along the E line of Sect. 25, a distance of 210.00' to the P.O.B. AND Tract B - Lot 1 of Hazen Subdivision, being a part of the NE1/4 of Sect. 25, T13N, R3 per Plat recorded in Vol. 33 of Plats, Page 66. **[405]** PIN: 03-01-200-001: The W1/2 of the NE1/4 of Sect. 1, in T13N, R3. **[090]** PIN: 03-20-300-002: The W 7.05 acres of that part of the SW1/4 of Sect. 20 lying S and E of the ROW of the C, B & Q RR Co. in T13N, R3. PIN: 03-29-100-001: The W1/2 of the NW1/4 of NW1/4 of Sect. 29 in T13N, R3. PIN: 03-30-200-001: The NE1/4 of Sect. 30 in T13N, R3. PIN: 03-30-100-004: Lot 4 of the Subdivision of the NW Fractional 1/4 of Sect. 30 per the Plat recorded in Vol. 78 of Deeds, Page 22, except that part lying N and W of the ROW of the C, B & Q RR Co. in T13N, R3. PIN: 03-19-400-005: All that portion of the S1/2 of the SE1/4 of Sect. 19 in T13N, R3 lying S of the ROW of the C, B & Q RR Co. **[654]** PIN: 02-14-300-002: The E1/2 of the SW1/4 of Sect. 14 in T13N, R2. **[242]** PIN: 03-21-300-001: 107 Acres on the W side of the SW1/4 of Sect. 21, T13N, R3. PIN: 03-21-400-002; 03-21-400-001; 03-21-300-002: The W 51 acres of the SE1/4 of Sect. 21; the N 34 acres of the E109 acres of the SE1/4 of Sect. 21; the E53 acres of the SW1/4 of Sect. 21; all in T13N, R3. **[418]** PIN: 04-07-200-001: The N1/2 of the NE1/4 of Sect. 7 in T13N, R4. PIN: 04-08-100-001: The N1/2 of the W1/2 of the NW1/4 of Sect. 8 in T13N, R4. **[256B]** PIN: 03-28-300-004; 03-28-300-008; 03-28-300-002; 03-29-400-005: Tracts A, B and C in the SW1/4 of Sect. 28 and the SE1/4 of Sect. 29, T13N, R3 per Plat of Survey recorded Apr. 20, 1992 as Doc. 777905 in Book 27 of Plats at Page 88; EXCEPT Lot 1 of Bonnie's Walnut Grove Subdivision, a part of the SW1/4 of said Sect. 28 per Plat recorded Jan. 24, 1997 as Doc. 826147 in Vol. 31 of Plats at Page 13 ALSO EXCEPTING Lot 1 of Bonnie's Walnut Grove Subdivision Phase 2, a part of the SW1/4 of Sect. 28, T13N, R3 per Plat recorded Dec. 7, 2018 in Vol. 41 of Plats at Page 56 as Doc. 1052638. **[422]** PIN: 07-17-300-002: The E1/2 of the W1/2 of the SW1/4 of Sect. 17, T12N, R3. PIN: 07-16-400-002: The Westerly 39.14 acres of the S1/2 of the SE1/4 of Sect. 16, described as Lot 15 and Lot 16 per Plat of School Commissioner's Subdivision of said Sect. 16, recorded in Vol. 47, Page 40 of the Deed Records; and all that part of the NE1/4 of Sect. 21 lying N of the public road running in an Easterly and Westerly direction across the N part of said NE1/4 of said Sect. 21; all in T12R, R3; EXCEPT a tract of land beginning at an iron rod at the SE corner of said SE1/4 of said Sect. 16; thence N 88°58'25"W, along the S line of said SE1/4, a distance of 96.55' to the center line of Co. Hwy 12; thence in a Southwesterly direction along said center

line, with a curve turning to the right with an arc length of 182.38' with a radius of 255.96' with a chord bearing of S70°41'44"W, with a chord length of 178.55'; thence N88°53'31"W, along said center line, a distance of 287.62'; thence N04°27'14"E, a distance of 219.52'; thence N87°21'26"W, a distance of 107.35'; thence N01°28'43"E, a distance of 26.13'; thence N69°09'09"E, a distance of 66.51' to an iron rod; thence N81°52'48"E, a distance of 216.11' to an iron rod; thence S89°17'06"E, a distance of 367.23' to the E line of said SE1/4; thence S00°16'16"West, along the E line of said SE1/4, a distance of 247.81' to the P.O.B. **[101]** PIN: 03-17-200-001: The NE1/4 of Sect. 17, T13N, R3; EXCEPT Part of the NE1/4 of Sect. 17, T13N, R3 commencing at the SE corner of the NE1/4 of said Sect. 17; thence along bearings referenced to the IL State Plane Coordinate System NAO 1983 (2011 ADJ), W Zone, N88°52'22"W 469.25' along the S line of the NE1/4 of said Sect. 17; thence N01°12'03"E 33.00' to a point on the Northerly existing ROW line of Co. Hwy 4 being 31.98' left of Station 21+75.00 on the centerline of Co. Hwy 4 as now surveyed and staked-out by the Knox Co. Hwy Dept., said point being the P.O.B.; thence N88°52'22"W 350.00' along the Northerly existing ROW line of Co. Hwy 4 to a point being 31.53' left of Station 18+25.00; thence N70°55'42"E 53.30' to a point being 50.00' left of Station 18+75.00; thence S88°47'57"E 250.00' to a point being 50.00 feet left of Station 21+25.00; thence S68°58'56"E 53.15' to the P.O.B. PIN: 03-26-400-001: The W1/2 of the SE1/4 of Sect. 26, T13N, R3. **[241]** PIN: 03-13-100-003: The E1/2 of the NW1/4 of Sect. 13, T13N, R3; EXCEPT K.K.C. Subdivision per plat recorded Dec. 23, 1991, at Book 27 of Plats, Page 64 ALSO EXCEPTING Part of the E1/2 of the NW1/4 of Sect. 13, T13N, R3 commencing at the SE corner of said E1/2 of the NW1/4; thence N87°51'57"W, 980.79' on the S line of said E1/2 of the NW1/4 to the P.O.B.; thence N87°51'57"W, 336.33' on said S line to the SW corner of said E1/2 of the NW1/4; thence N00°32'35"E, 37.14' on the W line of said E1/2 of the NW1/4; thence S87°46'44"E, 336.94' to the W line of the K.K.C. Subdivision recorded in Book 27 of Plats, Page 64 as Doc. 774944, thence S01°28'50"W, 36.62' on said W line of the K.K.C. Subdivision to the P.O.B. ALSO EXCEPTING Part of the E1/2 of the NW1/4 of Sect. 13, T13N, R3 beginning at the SE corner of said E1/2 of the NW1/4; thence N87°51'57"W, 711.52' on the S line of said E1/2 of the NW1/4 to the SE corner of the K.K.C. Subdivision recorded in Book 27 of Plats, Page 64 as Doc. 774944; thence N01°36'50", 31.21' on the E line of said K.K.C. Subdivision to the existing Northerly ROW line of Knox Co. Hwy 4; thence S87°46'44"E, 141.37' on said existing Northerly ROW line; thence N86°30'38"E, 100.50'; thence N70°25'11"E, 53.85' thence S87°46'44"E, 45.00'; thence S76°59'40"E, 80.17'; thence S87°46'44"E, 206.25'; thence S78°03'05"E, 71.02', thence S87°46'44"E, 19.51' to the E line of said E1/2 of the NW1/4; thence S00°33'06"W, 33.14' on said E line of the E1/2 of the NW1/4 13' to the P.O.B. PINs: 03-20-300-003; 03-29-100-002: Part of the SW1/4 of Sect. 20 lying S of the C., B. & Q. RR as it runs across said Sect., EXCEPT the W 7.05 acres which lie directly N of the W 20 acres of the NW1/4 of the NW1/4 of Sect. 29; Also the E 20 acres of the NW1/4 of the NW1/4 of Sect. 29; T13N, R3. PIN: 03-30-400-005: TRACT 1: The S1/2 of the SE1/4 of Sect. 30, T13N, R3, EXCEPT: beginning at an old stone at the NW corner of the S1/2 of said SE1/4, running E on the line between the N1/2 and the S1/2 or said SE1/4 20 chains, thence S 0.84 chains along the half Sect. line to the P.O.B. TRACT 2: That part of the N1/2 of the SE1/4 of Sect. 30, T13N, R3, beginning at an iron pin, which is the NE corner of the S1/2 of said SE1/4, running W along the line between the N1/2 of and S1/2 of said SE1/4 20.70 chains, thence N 0.70 chains, thence E 20.70 chains to the Sect. line, thence S along the Sect. line 0.70 chains to the P.O.B. **[651]** PIN: 03-15-100-001: Lots 1 and 2 of the Subdivision by Revenue Plat recorded on March 31, 1904 as Doc. 183223, Book 6 of Plats, Page 27 of the NW1/4 of Sect. 15, T13N R3 as traversed by the ROW of the now Burlington Santa Fe Railroad from NE to the SE; Lot 1 lies N of the ROW and Lot 2 lies S of the ROW; EXCEPT 3 portions of Lot 2: (a) Commencing at "P.K." Nail at the SW1/4 of the NW1/4 of Sect. 15, thence S89°52'10"E, along the S line of the NW1/4 of said Sect. 15, a distance of 618.21' to a point 29.2' S of an iron rod and the P.O.B. for the tract to be described; thence N01°53'00"E, 427.47' to an iron rod; thence S89°16'29"E, 290.16' to an iron rod; thence S00°10'20"E, 419.20' to the S line of the NW1/4 of said Sect. 15; thence N89°52'10"W, along the S line of the NW1/4 of said Sect. 15 a distance of 305.34' to the P.O.B.; (b) Beginning at the SW corner of said Lot 2, also being the SW corner of the NW1/4 of said Sect. 15; thence N00°46'40"E, 81.03' on the W line of said Lot 2, also being the W line of said NW1/4; thence S87°54'26"E, 65.62'; thence S80°51'38"E, 285.32'; thence S88°24'26"E, 272.11' to the W line of the parcel as described in Doc. 976785; thence S03°16'23"W, 618.17' on the W line of said parcel to the SW corner of said parcel on the S line of the NW1/4 of NW 1/4 of Sect. 15, also being the S line of Lot 2 of the Subdivision by Revenue Plat dated March 31, 1904; thence N88°26'03"W, 618.17' on said S line to the P.O.B. (c) Commencing at the SW corner of said Lot 2, also being the SW corner of the NW1/4 of said Sect. 15; thence S88°26'03"E, 923.53' on the S line of said Lot 2, also being the S line of said NW1/4 to the SE corner of a parcel as described in Doc. 976785, also being the P.O.B.; thence N01°13'03"E, 34.70' on the E line of said parcel to the existing Northerly ROW line of Knox Co. Hwy 4; thence S08°17"E, 420.83' on said existing Northerly ROW to the E line of Lot 2 of the Subdivision by Revenue Plat dated March 31, 1904; thence S00°42'48"W, 39.88' on said E line to the SE corner of said Lot 2, on the S line of the NW1/4 of Sect. 15; thence N88°26'03"W 421.18' on said S line, also being the S line of said Lot 2, to the P.O.B. **[650]** PINs: 04-11-200-004; 04-11-200-002; 04-11-400-012: The E2/3 of the NE1/4 of Sect. 11 and the N 250' of the E2/3 of the SE1/4 of Sect. 11, all in T13N, R4. **[426]** PIN: 03-28-100-002: The E 40 acres off the N 120 acres of the NW1/4 of Sect. 28; ALSO a strip 15' wide off of the N end of the W 50 acres of the NE1/4 of Sect. 28; ALSO a strip about 16' wide now used for a road off of the S end of a tract formerly owned by A. P. Stephens and being a part of the SE1/4 of Sect. 21; all situated in Walnut Grove Township, T13N, R3. **[427]** PIN: 03-28-400-001: The N1/2 of the W1/2 of the SE1/4 of Sect. 28, in T13N, R3. PIN: 03-28-400-002: The SW1/4 of the SE1/4 of Sect. 28, T13N, R3. PIN: 03-29-400-002: The S1/2 of the SE1/4 of Sect. 29, TN13, R3; EXCEPT: Starting at the SW corner of said above-described tract, thence E along the S Sect. line 71 rods to the P.O.B. for this description, thence N 20 rods, thence E 16 rods, thence S 20 rods to the S line of said 1/4 Sect., thence W 16 rods to the P.O.B. **[428]** PIN: 03-28-300-005: The E1/2 of the SW1/4 of Sect. 28, T13N, R3. PINs: 07-07-200-001; 07-08-100-002: The N1/2 of the N1/2 of the NE1/4 of Sect. 7, ALSO the N1/2 of the NW1/4 of Sect. 8, all in T12N, R3. PIN: 07-08-100-003: The S1/2 of the NW1/4 of Sect. 8 in T12N, R3. **[432]** PIN: 04-16-400-002: The E1/2 of the SE1/4 of Sect. 16, T13N, R4; EXCEPT: a tract commencing at the NE corner of the SE1/4 of said Sect. 16; thence N89°52'47"W, 42.79' on the N line of the SE1/4 of said Sect. 16 to the P.O.B.; thence S00°01'40"W, 30.66' to the intersection of the existing Westerly ROW line of IL State Rte. 17 and the existing southerly ROW line of Knox Co. Hwy 4; thence S00°00'28"W, 78.77' on the existing Westerly ROW line of IL State Rte. 17; thence N24°58'44"W, 78.08'; thence N89°59'19"W, 435.00'; thence S68°47'56"W, 46.98'; thence N89°59'19"W, 50.00'; thence N68°11'14"W, 26.93'; thence N89°59'19"W, 156.16'; thence N84°16'41"W, 100.50'; thence N89°59'19"W, 250.00'; thence S80°33'04"W, 152.11'; thence N89°59'19"W, 26.42' to the W line of the E1/2 of the SE1/4 of said Sect. 16; thence N00°00'55"W, 63.08' on said W line to the NW corner of the E1/2 of the SE1/4 of said Sect. 16; thence S89°52'47"E, 1,269.44' on the N line of the SE1/4 of said Sect. 16 to the P.O.B. PIN: 04-16-300-001: The W1/2 of the SW1/4 of Sect. 16, T13N, R4; EXCEPT: a tract beginning at the NW corner of the SW1/4 of said Sect. 16; thence S89°52'47"E, 1,313.20' on the N line of the SW1/4 of said Sect. 16 to the NE corner of the W1/2 of the SW1/4 of said Sect. 16; thence S00°08'05"W, 35.38' on the E line of the W1/2 of the SW1/4 of said Sect. 16; thence N89°39'05"W, 751.27'; thence N00°20'55"E 2.00'; thence N89°39'05"W, 255.00'; thence S85°46'29"W, 150.48'; thence S79°37'51"W, 107.54'; thence S10°25'53"W, 55.67'; thence S00°05'02"W, 130.00'; thence S16°38'36"W, 20.87' to the existing Easterly ROW line of Knox Rd. 2000 E; thence N89°47'12"W, 35.76' to the W line of the SW1/4 of said Sect. 16; thence N00°12'48"E, 265.07' on said W line to the P.O.B. **[431C]** PIN: 04-16-200-005: The E1/2 of the NE1/4 of Sect. 16 in T13N, R4, EXCEPT the S 11 acres. PIN: 04-08-400-005: The NW1/4 of the SE1/4 of Sect. 8 in T13N, R4. PIN: 04-08-400-008: The N 37.5 acres of the NE1/4 of the SE1/4 of Sect. 8 in T13N, R4; EXCEPT: A tract of land located in a part of the

SE1/4 of Sect. 8, T13N, R4 commencing at an iron pipe at the SE corner of the SE1/4 of said Sect. 8; thence N00°00'00"E, along the E line of the SE1/4 of said Sect. 8, a distance of 1393.74' to the P.O.B. for the tract to be described; thence S90°00'00"W, 312.00' to an iron rod; thence N00°00'00"E, 500.00' to an iron rod; thence N90°00'00"E, 312.00' to the E line of the SE1/4 of said Sect. 8; thence S00°00'00"W, along the E line of the SE1/4 of said Sect. 8 a distance of 500.00' to the P.O.B. PIN: 04-15-100-001: The W1/2 of the NW1/4 of the NW1/4, and the S1/2 of the NW1/4 of Sect. 15 in T13N, R4. PIN: 04-17-300-008: The S1/2 of the SW1/4 of Sect. 17, T13N, R4; EXCEPT: a part of the SW1/4 of Sect. 17, T13N, R4 commencing at the SW corner of said Sect. 17, thence N0°1'10"E, along the W line of said Sect. 17, a distance of 596.35' to the P.O.B. of the tract to be described; thence continuing N0°-1'10"E along the W line of said Sect. 17, a distance of 346.89'; thence S88°58'50"E, 298.97'; thence S0°-1'10"W, 346.89'; thence N88°-58'50"W, 298.95' to the P.O.B.; ALSO EXCEPTING A strip of land in the SW1/4 of Sect. 17, T13N, R4 beginning at a concrete monument set at the NE corner of Lot 1 of Jones Addition, thence running S00°01'10"W 346.89' along the E line of said Jones Addition to an iron pipe set at the SE corner of said Lot 1 of Jones Addition, thence E along the S line of said Lot 1 of Jones Addition extended 100' to a point, thence N 346.89', more or less, parallel with the E line of said Lot 1 to a point; thence W 100' along the N line of said Lot extended to the P.O.B. [244] PIN: 03-27-100-001: The NW1/4 of Sect. 27 in T13N, R3. PIN: 03-27-200-002: The E 84 acres of the NE1/4 of Sect. 27, T13N, R3 described as the NE1/4 of Sect. 27; EXCEPT: a tract beginning at a stone at the NW corner of said NE1/4 of said Sect. 27; thence S89°40'40"E, along the N line of the NE1/4 of said Sect. 27, a distance of 1262.00'; thence S00°09'10"E, along an existing fence line, 2666.48' to an iron rod on the S line of the NE1/4 of said Sect. 27; thence N89°47'37"W, along the S line of the NE1/4 of said Sect. 27, a distance of 1260.95' to an iron rod at the SW corner of the NE1/4 of said Sect. 27; thence N00°10'30"W, along the W line of the NE1/4 of said Sect. 27, a distance of 2669.04' to the P.O.B. PIN: 03-22-400-003: The E 36 acres of the S1/2 of the SE1/4 of Sect. 22, T13N, R3. [436] PIN: 04-07-200-002: The S1/2 of the NE1/4 of Sect. 7 in T13N, R4. PIN: 04-08-100-002: The S1/2 of the W1/2 of the NW1/4 of Sect. 8 in T13N, R4. [439] PIN: 03-03-400-003: The W1/2 of the S1/2 of the SE1/4 of Sect. 3, T13N, R3. [617] PIN: 07-16-100-002: The SW1/4 of the NW1/4 of Sect. 16 in T12N, R3. PIN: 07-16-300-002: The NE1/4 of the SW1/4 of Sect. 16 in T12N, R3. PIN: 07-17-100-001: The W1/2 of the NW1/4 of Sect. 17 in T12N, R3. [443] PIN: 07-01-100-002: 26 acres in the NE corner of the NW1/4 of said Sect. 1 commencing at the NE corner of the NW1/4 of said Sect. 1, and running thence W 17 chains to a stone, thence S 15.29 chains to a stone; thence E 17 chains to a stone; thence N 15.29 chains to the P.O.B.; all in T12N, R3. PIN: 07-01-200-001: The NE1/4 of Sect. 1 in T12N, R3. PIN: 03-36-300-003: The SW1/4 of Sect. 36, T13N, R3; EXCEPT Lot 1 of "Robertson Brother's Subdivision", a part of the SW1/4 of Sect. 36, T13N, R3. PIN: 03-36-400-002: The S1/2 of the SE1/4 of Sect. 36, T13N, R3. [618] PIN: 07-16-100-001: The SE1/4 of the NW1/4 and the N1/2 of the NW1/4 of Sect. 16, T12N, R3. [444] PIN: 07-09-100-001: The N1/2 of the NW1/4 of Sect. 9, T12N, R3. [250] PIN: 07-04-400-004: Part of the S1/2 of the SW1/4 of Sect. 4 and the W1/2 of the SE1/4 of Sect. 4, T12N, R3 beginning at a set iron rod marking the center 1/4 corner of said Sect. 4; thence along the N line of the SE1/4 of said Sect. 4, S89°01'57"E, 1329.33' to a set iron rod in an existing fence line being the center E 1/16 corner of said Sect. 4, thence leaving said N line; along said existing fence line being the E line of the W1/2 the SE1/4 of said Sect. 4, S00°22'58"W 2661.10' a found iron rod at the E 1/16 corner of said Sect. 4; thence leaving said E line, along the S line of the SE1/4 said Sect. 4, N89°01'22"W, 1326.19' to a set iron rod at the S1/4 corner of said Sect. 4; thence along the S line of the SW1/4 of said Sect. 4, N89°01'22"W, 565.40' to a set iron rod at the center line of a creek; thence leaving said S line along the center line of said creek as located on March 3, 2017 as set forth on Plat recorded April 26, 2017, in Book 45 of Plats, Page 29 as Doc. 1040665 in a Northerly direction a distance of 2321.65' to the N line of the S1/2 of the SW1/4 of said Sect. 4; thence leaving said center line of creek, along said N line, S89°01'39"E, 296.31' to a set iron rod at the center S1/16 corner of said Sect. 4; thence leaving said N line, along the W line of the SE1/4 said Sect. 4, N00°18'55"E, 1330.45' to the P.O.B. [260] PIN: 04-07-400-003: The SW1/4 of the SE1/4 of Sect. 7, T13N, R4. PIN: 04-07-400-004: The E1/2 of the S1/2 of the SE1/4 of Sect. 7, T13N, R4. PIN: 04-18-100-001: The NW1/4 of Sect. 18, T13N, R4. [461] PIN: 07-08-300-007: The E 641.34' of even width of: the W1/2 of the SW1/4 of Sect. 8, T12N, R3; EXCEPT: the E 85' of even width AND the W 210.16' of Tract "A" being 2 acres sq. out of the SW corner of the SW1/4 of Sect. 8, T12N, R3 as shown on a Plat of Survey prepared by Kenneth E. Schrader Associates, Ltd. and recorded in Vol. 3679 on Page 357 as Doc. 967600. PIN: 03-30-400-004: The N1/2 of the SE1/4 of Sect. 30 in T13N, R3, EXCEPT: a tract of land beginning at an iron pin, which is the NE corner of the S1/2 of the SE1/4 of Sect. 30, T13N, R3, thence W along the line between the N1/2 and the S1/2 of said SE1/4 of said Sect. 30, 20.70 chains, thence N 0.70 chains, thence E 20.70 chains to the Sect. line, thence S along the Sect. line 0.70 chains to the P.O.B.; also a tract of land beginning at an old stone which is the NW corner of the S1/2 of the SE1/4 of said Sect. 30 in T13N, R3, thence E on the line between the N1/2 and the S1/2 of said SE1/4 of Sect. 30, 20 chains, thence S 0.84 chains, thence W 20 chains, to the half Sect. line, thence N 0.84 chains along the half Sect. line to the P.O.B. EXCEPT A part of the W1/2 of the SE1/4 of Sect. 30, T13N, R3 beginning 55.44' S of the NW corner of the S1/2 of the SE1/4 of said Sect. 30, thence E along an existing fence 535', thence N 465', thence W 536' to the W line of the said SE1/4, thence S 465' to the P.O.B. [120] PIN: 02-23-400-003: The W 1305' of the S1/2 of the SE1/4 of Sect. 23, T13N, R2. PIN: 02-24-200-002: The N1/2 of the NE1/4 of Sect. 24, T13N, R2. PIN: 02-24-100-005: The N1/2 of the NW1/4 of Sect. 24, except Woodlawn Lynn Subdivision per Plat recorded in Vol. 26 of Plat Records, Page 167, in T13N, R2. PIN: 02-23-100-005: The S1/2 of the NW1/4 of Sect. 23, T13N, R2; EXCEPT the "Herschel Holmes Homestead Subdivision." PIN: 02-23-300-005: The SW1/4 of Sect. 23, T13N, R2; EXCEPT Lot 1 Pheiffer's Subdivision per Plat in Vol. 27 of Plat Records at Page 6. PIN: 02-23-200-002: The N1/2 of the NE1/4 of Sect. 23, T13N, R2, Ontario Township. [123] PIN: 03-17-300-003: The E1/2 of the SW1/4 of Sect. 17; EXCEPT the E 125' of the N 210' thereof, the W 2 acres of the SE1/4 of Sect. 17, being that part lying W of the fence and formerly used as a hwy in T13N, R3. PIN: 03-17-300-001: The W1/2 of the SW1/4 of Sect. 17, T13N, R3. PIN: 03-03-300-001: The W1/2 of the SW1/4 of Sect. 3, T13N, R3; EXCEPT that portion which contains 2.5 acres, more or less, shown as Lot 1 of Leinbach Subdivision per Plat of Survey recorded in Vol. 16 of Plat Records at Page 47. PIN: 03-10-100-005: The NW1/4 and the N 45 acres of the E1/2 of the SW1/4 of Sect. 10, T13N, R3; EXCEPT: a portion of the NW1/4 of Sect. 10 beginning at an iron rod at the NW corner of the NW1/4 of said Sect. 10; thence S89°41'58"E, along the N line of the NW1/4 of said Sect. 10, a distance of 1015.25' to an iron rod at the centerline of a public road; thence S00°58'30"E, along said centerline, 2688.22' to an iron rod on the S line of the NW1/4 of said Sect. 10; thence N89°42'35"W, along said S line, 1029.57' to an iron rod at the SW corner of the NW1/4 of said Sect. 10; thence N00°40'10"W, along the W line of the NW1/4 of said Sect. 10, a distance of 2688.12' to the P.O.B. PIN: 03-03-400-001: The N1/2 of the SE1/4 of Sect. 3, T13N, R3. [471] PIN: 03-14-100-006: The W1/2 of the NW1/4 of Sect. 14 in T13N, R3; EXCEPT: Part of the W1/2 of the NW1/4 of Sect. 14 beginning at the SW corner of the NW1/4 of said Sect. 14; thence N 00°50'46"E, 216.99' on the W line of said NW1/4; thence S89°09'14"E, 32.85' to the existing Easterly ROW line of Knox Rd. 1600E; thence S12°10'49"E, 76.90'; thence S00°35'28"W, 75.00'; thence S69°55'08"E, 49.14' to the beginning of a 14,942.00' radius non-tangent curve to the left; thence 226.69' on said curve having a long chord which bears N89°36'41"E, 226.68'; thence N 89°10'37"E, 222.43'; thence N70°23'56"E, 52.81'; thence N89°10'37"E, 50.00'; thence S84°49'23"E, 151.87'; thence S82°58'49"E, 125.90'; thence S89°49'23"E, 275.00'; thence S86°29'18"E, 120.33' to the E line of the W1/2 of said NW1/4; thence S00°31'36"W, 38.08' on said E line to the S line of said NW1/4; thence N 89°52'45"W, 1,317.45' on said S line to the P.O.B. ALSO EXCEPTING Lot 2 and Lot 3 of RE Main Subdivision, part of the SW1/4 of Sect. 11 and also part of the NW1/4 of Sect. 14, T13N, R3, per Plat dated Jan. 18, 2012 at Book 43, Page 51 of Plats. PIN: 03-10-400-001: The N 70 acres of even width of the SE1/4 of Sect. 10 in T13N, R3.

PIN: 03-11-300-007: All that part of the SW1/4 of Sect. 11 and the E1/2 of the NW1/4 of Sect. 11 in T13N, R3, both lying S of the C., B. & Q. RR ROW, EXCEPT the S 570' of the W 780' of said SW1/4; EXCEPTING THEREFROM Lot 2 of RE Main Subdivision, part of the SW1/4 of Sect. 11 and part of the NW1/4 of Sect. 14, T13N, R3, per Plat dated Jan. 18, 2012 at Book 43, Page 51 of Plats. **[240]** PIN: 03-10-100-004: Beginning at an iron rod at the NW corner of the NW 1/4 of said Sect. 10; thence S89°41'58" E, along the N line of the NW 1/4 of said Sect. 10, a distance of 1015.24' to an iron rod at the centerline of a public road; thence S00°58'30"E, along said centerline, 2688.22' to an iron rod on the S line of the NW 1/4 of said Sect. 10; thence N89°42'35"W, along said S line, 1029.57' to an iron rod at the SW corner of the NW 1/4 of said Sect. 10; thence N00°40'10"W, along the W line of the NW 1/4 of said Sect. 10, a distance of 2688.12' to the P.O.B.; EXCEPT: a tract of land being a part of the NW 1/4 of Sect. 10, T13N, R3, commencing at an iron rod at the NW corner of the NW 1/4 of said Sect. 10; thence S89°41'58" E, along the N line of the NW 1/4 of said Sect. 10, a distance of 1015.24' to an iron rod; thence S00°58'30"E, along the center of a public road, 1106.38' to a point 26.72' E of an iron rod and the P.O.B. for the tract to be described; thence continuing S00°58'30"E, along said center line, 296.23'; thence N89°01'40"W, 237.00' to an iron rod; thence N00°58'30"W 296.24' to an iron rod; thence S89°01'40"E, 237' to the P.O.B. **[129]** PIN: 03-17-100-001: The W 39 acres of the W1/2 of the NW1/4 of Sect. 17, T13N, R3, described as all of the W1/2 of the W1/2 of the NW1/4 of Sect. 17, T13N, R3; EXCEPT the E I rod thereof. PIN: 03-18-400-005: The E1/2 of the SE1/4 of Sect. 18, T13N, R3; EXCEPT: Main Hitch Subdivision Extension 2. PIN: 03-18-400-001: The W1/2 of the SE1/4 of Sect. 18, T13N, R3. PIN: 03-09-200-002: The S1/2 of the NE1/4 of Sect. 9 in T13N, R3, according to the U.S. Gov't survey thereof. **[245]** PIN: 07-03-300-003: The S1/2 of the SW1/4 of Sect. 3, T12N, R3. PIN: 07-03-300-001: The NW1/4 of the SW1/4 of Sect. 3, T12N, R3. PIN: 07-03-400-004: The S1/2 of the NW1/4 of the SE1/4 of Sect. 3, and the N 2 acres of the SW1/4 of Sect. 3 in T12N, R3. **[747]** PIN: 03-02-100-002: The E1/2 of the NW1/4 of Sect. 2, T13N, R3. PIN: 03-02-300-002: The E1/2 of the SW1/4 of Sect. 2, T13N, R3. PIN: 03-02-300-004: The W1/2 of the SW1/4 of Sect. 2, T13N, R3; EXCEPT the E 78' of the W 102' and N 151'. **[135]** PIN: 03-31-400-001: The N1/2 of the W1/2 of the SE1/4 of Sect. 31, T13N, R3 PINs: 02-24-400-003; 03-19-300-006: Tract B being a part of the SW1/4 of Sect. 19, T13N, R3, and a part of the E1/2 of the SE1/4 of Sect. 24, T13N, R2 per Plat recorded in Vol. 26 of Plats, Page 38. **[485]** PIN: 03-31-200-001: The NW1/4 of the NE1/4 of Sect. 31; the SW1/4 of the NE1/4 of the NE1/4 of Sect. 31; the W1/2 of the SE1/4 of the NE1/4 of Sect. 31; all in T13N, R3. PIN: 03-31-400-007: The E1/2 of the SE1/4 of Sect. 31 in T13N, R3 in Walnut Grove Township; EXCEPT a strip of land off the E side of the N 90 acres of said SE1/4 lying E of the hedge fence containing 1/2 acre more or less; ALSO EXCEPT: Lot 1 in K & K Walnut Acres Subdivision per Plat recorded Feb. 14, 1992 in Vol. 27 of Plat Records, Page 75. PIN: 07-05-200-003: The S1/2 of the E1/2 of the NE1/4 of Sect. 5, T12N, R3. **[226]** PINs: 03-19-300-005; 02-24-400-004; 03-30-100-001: Tract A, being a part of the SW1/4 of Sect. 19 and part of the NW1/4 of Sect. 30, T13N, R3, and a part of the E1/2 of the SE1/4 of Sect. 24, T13N, R2, per Plat recorded in Vol. 26 of Plats, Page 38. **[250]** PIN: 07-04-300-001; 07-04-200-002; 07-04-100-003: The W1/2 of the NE1/4 of Sect. 4; EXCEPTING therefrom the portion of Corrected Plat of Nolan Subdivision lying within said NE1/4 per Plat recorded in Vol. 23 of Plats, Page 72; also the NW1/4 of said Sect. 4; EXCEPTING therefrom the portion of Corrected Plat of Nolan Subdivision lying within said NW1/4 per Plat recorded in Vol. 23 of Plats, Page 72; and ALSO EXCEPTING therefrom Lot 1, Hall Subdivision, a part of said NW1/4 of Sect. 4; also the N1/2 of the SW1/4 of Sect. 4, all in T12N, R3. **[624]** PIN: 07-03-400-006: The SW1/4 of the SE1/4 of Sect. 3, T12N, R3; EXCEPTING THEREFROM the N 2 acres of said SW1/4 of said SE1/4 and the SE1/4 of the SE1/4 of Sect. 3, T12N, R3; EXCEPTING THEREFROM Tract A shown on Plat recorded in Vol. 24 of Plats, Page 53. **[497]** PIN: 07-01-100-001
The NW1/4 of Sect. 1, T12N, R3, excepting 80 acres off the S side thereof and also excepting a tract of land bounded by a line beginning at the NE corner of said NW1/4 of Sect. 1, and running thence W 17 chains, thence S 15.29 chains, thence E 17 chains, thence N 15.29 chains to the P.O.B. PIN: 07-02-200-001: The N1/2 of the NE1/4 of Sect. 2, T12N, R3 of the Copley Township. **[156]** PINs: 03-01-100-004; 03-01-100-002: The NW1/4 of Sect. 1, T13N, R3; EXCEPT Lot 1 of Keith's Subdivision, being a part of the NW1/4 of Sect. 1, T13N, R3, per Plat filed in Vol. 28 of Plats, Page 73. PIN: 03-01-300-001; 03-01-300-002: The SW1/4 of Sect. 1 in T13N, R3; EXCEPT that part of Lot 3 of the Subdivision of the SW1/4 of Sect. 1, T13N, R3 lying S of the C., B. & Q. RR ROW. PIN: 03-02-400-006: The SE1/4 of Sect. 2 in T13N, R3; EXCEPT a part of the SE1/4 of Sect. 2, T13N, R3 beginning at the SE corner of the SE1/4 of said Sect. 2, running thence N89°21'00"W a distance of 388.63'; thence N00°20'20"E a distance of 292.95' to the NE corner of Lot 1 in Rod's Subdivision; thence S88°40'17"W a distance of 227.20' to the NW corner of Lot 1 in Rod's Subdivision; thence S00°00'30"W a distance of 285.12' to the S line of said SE1/4 of Sect. 2; thence N89°21'00"W a distance of 273.58'; thence N01°35'00"E a distance of 890.05'; thence S88°40'17"E a distance of 227.20' to the E line of said SE1/4 of said Sect. 2; thence S00°04'31"E a distance of 890.00' to the P.O.B.; as per Survey of Wallace Engineering & Land Survey Co recorded in Book 2281, Page 78; ALSO EXCEPTING Lot 1 in Rod's Subdivision as shown on the Survey recorded June 5, 2009 as Doc. 9723362. PIN: 03-11-400-002: The N1/2 of the SE1/4 of Sect. 11, T13N, R3. PIN: 03-14-200-003: The W1/2 of the NE1/4 of Sect. 14, T13N, R3; EXCEPTING therefrom Lot 1 Austin Acres per plat recorded in Vol. 23 of Plats, Page 83; ALSO EXCEPTING therefrom part of the W1/2 of the NE1/4 of Sect. 14, T13N, R3, commencing at the SW corner of the NE1/4 of said Sect. 14; thence S89°50'43"E, 253.96' on the S line of said NE1/4 to the SE corner of Austin Acres recorded as Doc. 695492 in Book 23 of Plats, Page 83 and the P.O.B.; thence N01°01'29"E, 35.00' on said E line; thence S89°49'23"E, 41.62'; thence N65°03'56"E 27.61'; thence S89°49'23"E, 20.00'; thence S72°04'42"E, 26.25'; thence S89°49'23"E, 85.49'; thence S89°34'23"E, 131.53'; thence N83°12'27"E, 63.66'; thence S89°34'23"E, 40.00'; thence S87°12'13"E, 145.12'; thence N 87°46'29"E, 249.97'; thence S89°53'53"E, 65.00'; thence S86°30'24"E, 135.24'; thence S89°53'53"E, 28.00' to the E line of the W1/2 of the said NE1/4; thence S00°37'06"W, 41.43' on said E line of the W1/2 to the SE corner of said W1/2; thence N89°50'43"W, 1,054.76' on the S line of the NE1/4 of Sect. 14 to the P.O.B. PIN: 03-14-300-003: The SW1/4 of Sect. 14, T13N, R3; EXCEPTING therefrom: Lot 1 of Ken's subdivision, a part of the SW1/4 of Sect. 14, T13N, R3, per the Plat filed in Vol. 28 of Plats, Page 72; ALSO EXCEPTING therefrom: part of the SW1/4 of Sect. 14, T13N, R3, beginning at the NW corner of the SW1/4 of said Sect. 14; thence S89°52'45"E, 2,616.45' on the N line of said SW1/4 to the NE corner of the SW1/4 of Sect. 14; thence S00°41'28"W, 42.80' on the E line of said SW1/4; thence S78°33'56"W, 16.86'; thence N89°49'23"W, 40.00'; thence N77°37'21"W, 37.85'; thence N89°49'23"W, 195.00'; thence S72°25'56"W, 26.25'; thence N89°49'23"W, 40.00'; thence N72°04'42"W, 26.25'; thence N89°49'23"W, 390.00'; thence S79°58'23"W, 101.61'; thence N89°49'23"W, 50.00'; thence N81°17'32"W, 101.12'; thence N89°49'23"W, 125.00'; thence S88°03'44"W, 325.22'; thence N89°49'23"W, 394.65'; thence S78°13'28"W, 120.64'; thence S89°10'37"W, 36.00'; thence N82°17'32"W, 202.24'; thence S89°10'37"W, 72.43' to the beginning of a 15,045.00' radius tangential curve to the right; thence 271.32' on said curve having a long chord which bears S89°41'37"W, 271.32'; thence S33°33'35"W, 16.96'; thence S00°35'28"W, 86.03'; thence S26°13'55"W, 27.73' to the existing easterly ROW line of Knox Rd. 1600E; thence N86°16'40"W, 34.23' to the W line of the SW1/4 of Sect. 14; thence N00°43'20"E, 178.08' on said W line of the SW1/4 to the P.O.B. PIN: 03-15-400-004: Lot 1 of the subdivision of the SE1/4 of Sect. 15, T13N, R3, per plat recorded in Vol. 44 of Deeds, Page 417; EXCEPTING therefrom: Lot 1 of Charles W. Nelson Subdivision, being a re-subdivision of part of Lot 1 of the subdivision of said SE1/4 of said Sect. 15, per plat recorded in Vol. 15 of Plats, Page 36; ALSO EXCEPTING therefrom: part of Lot 1 of the Subdivision of the SE1/4 of Sect. 15, T13N, R3, recorded in Book 44, Page 417 as Doc. 28075, commencing at the NE corner of the SE1/4 of said Sect. 15 also being the NE corner of Lot 1 of the Subdivision of the E1/2 of the SE1/4 of Sect. 15; thence N88°32'47"W, 986.33' on the N line of said SE1/4

to the NW corner of the Charles W. Nelson Subdivision as recorded in Book 15 of Plats on Page 36 and the P.O.B.; thence $S00^{\circ}17'27''W$, 30.45' on the W line of said Charles W. Nelson Subdivision to the existing Southerly ROW line of Knox Co. Hwy 4; thence $N88^{\circ}28'35''W$, 116.41' on said existing Southerly ROW line; thence $S89^{\circ}31'08''W$, 144.11' to the W line of said Lot 1 of the Subdivision of the SE1/4 of Sect. 15; thence $N00^{\circ}41'16''E$, 35.17' on said W line to the NW corner of said Lot 1 also being on the N line of the SE1/4 of Sect. 15; thence $S88^{\circ}32'47''E$, 260.29' on said N line to the P.O.B. PIN: 03-34-400-001: The SE1/4 of Sect. 34, T13N, R3. PINs: 07-03-200-004; 07-03-200-005: The NE1/4 of Sect. 3, T12N, R3, except Lots 9, 10, 11 and 13 per Plat recorded in Vol. 117 of Deeds, Page 142. PIN: 07-03-100-002: A part of the NW1/4 of Sect. 3, T12N, R3 in Copley commencing at NE corner of said 1/4 Sect., thence S to SE corner of said 1/4 Sect., thence $W 1327.5'$ along S line of 1/4 Sect., then Northerly to a point on N line of 1/4 Sect. 1332.5' W of P.O.B., thence E to P.O.B. **[253]** PIN: 03-11-200-003: All that part of the NE1/4 of Sect. 11 in T13N, R3 that lies S of the C., B. & Q. RR ROW. **[504]** PIN: 03-35-400-004: Part of the SE 1/4 of Sect. 35, T13N, R3 commencing at an iron rod at the NE corner of the SE 1/4 of said Sect. 35; thence $S00^{\circ}13'24''W$, along the E line of said SE 1/4, a distance of 945.41' to the P.O.B. for the tract to be described; thence continuing $S00^{\circ}13'24''W$, along said E line, a distance of 440.76'; thence $N89^{\circ}26'22''W$, a distance of 315.97'; thence $N60^{\circ}05'06''W$, a distance of 87.40'; thence $N89^{\circ}39'54''W$, a distance of 586.81'; thence $S40^{\circ}01'44''W$, a distance of 254.03'; thence $S59^{\circ}56'04''W$, a distance of 480.70'; thence $N82^{\circ}21'15''W$, a distance of 1097.39' to the W line of said SE 1/4; thence $N00^{\circ}20'32''E$, along said W line, a distance of 695.11'; thence $S89^{\circ}40'20''E$, a distance of 2643.17' to the P.O.B.; EXCEPT any part of a 0.5 acre exception along the E line within the public road ROW as described in Deed Book 95, Page 294. **[246]** PIN: 03-11-200-002: All that part of the NE1/4 of Sect. 11, T13N, R3 that lies N of the C., B. & Q. RR ROW. PIN: 03-11-400-003: The S1/2 of the SE1/4 of Sect. 11 in T13N, R3. **[506]** PIN: 03-35-400-002: Part of the SE 1/4 of Sect. 35, T13N, R3, beginning at an iron rod at the NE corner of the SE 1/4 of said Sect. 35; thence $S00^{\circ}13'24''W$, along the E line of said SE 1/4, a distance of 335.50'; thence $N89^{\circ}40'20''W$, a distance of 2641.91' to the W line of said SE 1/4; thence $N00^{\circ}20'32''E$, along said W line, a distance of 335.50' to an iron rod at the NW corner of said SE 1/4; thence $S89^{\circ}40'20''E$, along the N line of said SE 1/4, a distance of 2641.21' to the P.O.B.; EXCEPT: any part of a 0.5 acre exception along the E line within the public road ROW as described in Deed Book 95 Page 294. PIN: 03-35-400-006: Part of the SE 1/4 of Sect. 35, T13N, R3, commencing at an iron rod at the SE corner of the SE 1/4 of said Sect. 35; thence $N89^{\circ}32'45''W$, along the S line of said SE 1/4, a distance of 443.96' to the P.O.B. for the tract to be described; thence continuing $N89^{\circ}32'45''W$ along said S line, a distance of 2202.78' to an iron rod at the SW corner of said SE 1/4; thence $N0^{\circ}20'32''E$, along the W line of said SE 1/4, a distance of 1018.55'; thence $S82^{\circ}21'15''E$, a distance of 570.54'; thence $S47^{\circ}13'12''E$, a distance of 680.13'; thence $S04^{\circ}43'02''E$, a distance of 91.83'; thence $S89^{\circ}32'45''E$, a distance of 1072.09' to an iron rod; thence $S 40^{\circ}25'09''E$, a distance of 90.98' feet to an iron rod; thence $S01^{\circ}09'16''W$, a distance of 328.92' to the P.O.B. **[520]** PIN: 03-12-400-002: The SW1/4 of the SE1/4 of Sect. 12, T13N, R3. PIN: 03-13-200-005: The N1/2 of the NW1/4 of the NE1/4 of Sect. 13, T13N, R3 ; and the N1/2 of the S1/2 of the NW1/4 of the NE1/4 of Sect. 13, T13N, R3. PINs: 03-13-200-007; 03-13-200-004: The SW1/4 of the NE1/4 of Sect. 13, T13N, R3; and the S1/2 of the S1/2 of the NW1/4 of the NE1/4 of Sect. 13, T13N, R3 AND the S1/2 of the SE1/4 of the NE1/4 of Sect. 13, in T13N, R3; EXCEPTING: Part of the SW1/4 of the NE1/4 of Sect. 13 and part of the S1/2 of the SE1/4 of the NE1/4 of Sect. 13, T13N, R3 beginning at the SE corner of the NE1/4 of said Sect. 13; thence $N87^{\circ}54'45''W$, 2,632.90' on the S line of said NE1/4 to the SW corner of said NE1/4; thence $N00^{\circ}33'06''E$, 33.14' on the W line of said NE1/4; thence $S87^{\circ}46'44''E$, 120.49'; thence $N76^{\circ}00'03''E$, 114.56'; thence $S87^{\circ}46'44''E$, 40.00'; thence $S76^{\circ}28'08''E$, 137.67'; thence $S87^{\circ}46'44''E$, 325.00'; thence $N89^{\circ}55'50''E$, 150.12'; thence $S87^{\circ}46'44''E$, 100.00'; thence $S84^{\circ}20'43''E$, 100.18'; thence $S87^{\circ}46'44''E$, 179.44'; thence $S87^{\circ}49'57''E$, 20.49'; thence $S87^{\circ}08'07''E$, 299.21'; thence $N89^{\circ}21'24''E$, 899.38'; thence $N82^{\circ}02'38''E$, 50.42'; thence $N51^{\circ}38'50''E$, 98.74' to the existing Westerly ROW line of Knox Co. Hwy 15 (1800 E); thence $S89^{\circ}24'12''E$, 27.20' to the E line of the NE1/4 of said Sect. 13; thence $S00^{\circ}35'48''W$, 147.55' on said E line to the P.O.B. ROW. **[247]** PIN: 03-33-200-002: The N1/2 of the NE1/4 of Sect. 33 in T13N, R3. **[248]** PIN: 04-09-200-001: The NE1/4 of Sect. 9 of Lynn Township, T13N, R4. PIN: 04-09-100-005: Part of the NW1/4 of Sect. 9 of Lynn Township, T13N, R4, beginning at the NE corner of the NW1/4 of said Sect. 9; thence $W 1,170.00'$ along the N line of the NW1/4 of said Sect. 9 to the NE corner of a 10-acre tract; thence $S 720'$ along the E line of said tract to the SE corner of said tract; thence $W 339.34'$ to a point along the S line of said tract; thence $S 1,941.76'$ to a point on the S line of the NW1/4 of said Sect. 9; thence E to the SE corner of the NW1/4 of said Sect. 9; thence N along the E line of the NW1/4 of said Sect. 9 to the P.O.B. **[256]** PINs: 03-28-300-007; 03-28-300-009: Lot 1 of Bonnie's Walnut Grove Subdivision, a part of the SW1/4 of said Sect. 28 per plat recorded on Jan. 24, 1997, as Doc. 826147 in Vol. 31 of Plats at Page 13. ALSO Lot 1 of Bonnie's Walnut Grove Subdivision Phase 2, part of the SW1/4 of Sect. 28, T13N, R3 per Plat recorded Dec. 7, 2018 in Vol. 41 of Plats at Page 56 as Doc. 1052638. **[637]** PIN: 03-23-200-001: The NE1/4 of Sect. 23, T13N, R3. **[533]** PIN: 03-10-200-002: The E1/2 of the NE1/4 of Sect. 10, T13N, R3; EXCEPT: that part of the E1/2 of the NE1/4 of Sect. 10, T13N, R3 identified as the Stuckey Subdivision, commencing on the E line of the NE1/4 of said Sect. 10, 1358.80' S of the NE corner of said Sect. 10, running thence $N88^{\circ}50'W$, a distance of 319.26', thence $N00^{\circ}25'W$, a distance of 396.07', thence $S88^{\circ}50'E$, a distance of 322.14' to the E line of said NE1/4 of said Sect. 10, thence S along the E line of the said NE1/4 of said Sect. 10, a distance of 396', to the P.O.B. in the E1/2 of the NE1/4 of Sect. 10, T13N, R3 all according to a plat of the Stuckey Subdivision filed on Dec. 19, 1978, in Vol. 20 of Plats, Page 81. **[538]** PIN: 04-18-400-001: The SE1/4 of Sect. 18, T13N, R4; EXCEPT: Beginning at the NE corner of the SE1/4 of said Sect. 18; thence $S00^{\circ}04'31''W$ 200.09' on the E line of the SE1/4 of said Sect. 18; thence $N89^{\circ}55'29''W$ 29.16' to the existing Westerly ROW line of Knox Rd. 1900E; thence $N25^{\circ}50'13''W$ 22.28'; thence $N0^{\circ}20'09''E$ 76.81'; thence $N23^{\circ}44'01''W$ 46.47'; thence $N87^{\circ}27'45''W$ 158.48'; thence $N87^{\circ}36'05''W$ 66.33'; thence $S89^{\circ}47'24''W$ 448.76'; thence $S68^{\circ}38'58''W$ 26.93'; thence $N89^{\circ}32'57''W$ 65.00'; thence $N44^{\circ}32'57''W$ 14.14'; thence $N83^{\circ}27'38''W$ 75.43'; thence $N89^{\circ}32'57''W$ 924.96'; thence $S79^{\circ}08'38''W$ 142.81'; thence $N89^{\circ}32'57''W$ 65.00'; thence $N77^{\circ}06'04''W$ 148.45'; thence $N89^{\circ}32'57''W$ 457.23' to the W line of the SE1/4 of said Sect. 18; thence $N00^{\circ}33'20''E$ 48.29' on said W line to the NW corner of the SE1/4 of said Sect. 18; thence $S89^{\circ}30'17''E$, 2,637.41' on the N line of the SE1/4 of said Sect. 18 to the P.O.B. **[185]** PIN: 03-19-200-002: The S1/2 (S/2) of the NE1/4 (NE/4) of Sect. 19, T13N, R3. PIN: 03-19-400-001: The N1/2 of the SE1/4 of Sect. 19, T13N, R3. PIN: 03-19-400-003: The S1/2 of the SE1/4 of Sect. 19, T13N, R3; EXCEPT a parcel commencing at the SW corner of said SE1/4, thence E 660', thence N 297', thence W 660', thence S 297' to the P.O.B., and also excepting that portion lying S and E of US Hwy 34. PIN: 03-20-100-002: The S1/2 of the NW1/4 of Section 20, T13N, R3. PIN: 03-20-300-001: Part of the SW1/4 of Sect. 20 lying N of the C., B. and Q. RR Tracks, EXCEPT: the tract commencing at NE corner of said S1/2, running thence $W 33'$; thence S to the ROW of the C., B. and Q. RR; thence in a Northeasterly direction along the N side of the ROW of said C., B. & Q. RR to the E line of said SW1/4 of said Sect. 20; thence N to the P.O.B., all being in T13N, R3. **[539]** PIN: 04-30-200-001: The W1/2 of the NE1/4 in Sect. 30, T13N, R4. PIN: 04-30-400-001: The NW1/4 of SE1/4, except a strip of land lying S of the hedge running across the S end of the above-described land, all in Sect. 30, T13N, R4. PIN: 03-36-400-001: The N1/2 of the SE1/4 of Sect. 36 in T13N, R3. **[540]** PIN: 04-19-200-002: The NE1/4 and the N3/4 of the N1/2 of the SE1/4 of Sect. 19 in T13N, R4. **[349]** PIN: 03-13-400-004: The W1/2 of the SE1/4 of Sect. 13, in T13N, R3; EXCEPT: Part of the W1/2 of the SE1/4 of Sect. 13, T13N, R3 beginning at the NW corner of said W1/2 of the SE1/4; thence $S87^{\circ}54'45''E$, 1,316.45' on the N line of said W1/2 of the SE1/4 to the NE corner of said W1/2 of the SE1/4; thence $S00^{\circ}27'31''W$, 32.96' on the E line of said W1/2 of the SE1/4 to the existing Southerly ROW line of Knox Co. Hwy 4; thence $N87^{\circ}46'44''W$, 237.94' on said existing Southerly ROW line; thence $S89^{\circ}55'50''W$, 250.20'; thence $N 87^{\circ}46'44''W$, 514.96'; thence

S69°02'40"W, 38.11'; thence N87°46'44"W, 50.00'; thence N65°58'39"W, 26.93'; thence N87°46'44"W, 203.03' to the W line of said W1/2 of the SE1/4; thence N00°19'11"E, 44.90' on said W line to the P.O.B. **[550]** PIN: 07-03-100-003: The NW1/4 of Sect. 3, T12N, R3; EXCEPT a tract of land commencing at the NE corner of said ¼ Sect., thence S to the SE corner of said 1/4 Sect., thence W 1327.5' along the S line of said ¼ Sect. to a point, thence Northerly to a point on the N line of said ¼ Sect. which is 1332.5' W of the P.O.B., thence E to the P.O.B.; ALSO EXCEPTING: Tract "A" according to a Plat of Survey prepared by Kenneth E. Schrader of part of the NW1/4 of Sect. 3, T12N, R3 as filed Oct. 3, 1996 as Doc. 823141 in Book 1979, Page 291. **[197]** PIN: 07-09-200-002: A part of the NE1/4 of Sect. 9, T12N, R3, beginning at an iron rod at the NE corner of the NE1/4 of said Sect. 9; thence S00°15'56"E, along the E line of the NE1/4 of said Sect. 9, a distance of 2485.94' to an iron rod at the Northeasterly corner of an existing 88.66-acre tract; thence N63°03'20"W, 473.61' to an iron rod; thence S78°50'30"W, 367.60' to an iron rod; thence N65°09'47"W, 156.82' to an iron rod; thence S87°44'14"W, 549.37' to an iron rod; thence N80°04'05"W, 263.36' to an iron rod; thence N81°24'44"W, 253.58' to an iron rod; thence S86°33'50"W, 199.19' to an iron rod; thence N43°04'28"W, 125.40' to an iron rod; thence N57°02'05"W, 202.89' to an iron rod; thence N29°17'27"W, 151.05' to an iron rod; thence N30°35'17"E, 101.18' to an iron rod; thence N09°25'40"W, 63.10' to an iron rod; thence N67°48'01"W, 163.75' to an iron rod; thence N05°22'00"W, 373.10' to an iron rod; thence N89°32'34"W, 6.53' to the NE corner of the S1/2 of the NW1/4 of said Sect. 9. The last 15 named courses being along the Northeasterly side of said 88.66-acre tract; thence N00°08'10"W, along the W line of the NE1/4 of said Sect. 9, a distance of 1331.92' to an iron rod at the NW corner of the NE1/4 of said Sect. 9; thence S89°32'11"E, along the N line of the NE1/4 of said Sect. 9, a distance of 2656.46' to the P.O.B. PIN: 07-02-100-002: The S1/2 of the NW1/4 of Sect. 2, T12N, R3. PIN: 02-22-200-003: The NE1/4 of Sect. 22, T13N, R2. PIN: 02-22-400-002: The SE1/4 of Sect. 22, T13N, R2, except Lot 1 of the Seiboldt Farm Subdivision per Plat recorded at Book 30, Page 47 as Doc. 820786. **[555]** PINs: 03-26-400-002; 03-26-200-003: The NE1/4, except that part lying W of a creek known as Farm Creek running diagonally through said 1/4 Sect. and the E1/2 of the SW1/4, all in Sect. 26, T13N, R3. **[249]** PIN: 03-12-100-002: The E1/2 of the NW1/4 of Sect. 12 in T13N, R3. PIN: 03-12-100-001: The W1/2 of the NW1/4 of Sect. 12 in T13N, R3, except the RR ROW. **[567]** PIN: 03-24-400-003: The E 80 acres of the SE1/4 of Sect. 24, T13N, R3. PIN: 03-24-400-005: A part of the SE ¼ of Sect. 24, T13N, R3, commencing at a P.K. Nail at the SE corner of the SE 1/4 of said Sect. 24; thence S89°55'46"W, along the S line of the SE 1/4 of said Sect. 24, a distance of 1312.28' to a point 30' S of an iron rod and the P.O.B. for the tract to be described. Said point also being the SW corner of an 80-acre tract; thence continuing S89°55'46"W, along the S line of the SE 1/4 of said Sect. 24, a distance of 862.55'; thence N01°34'00"W, 512.80' to an iron rod; thence S89°41'16'E, 299.62' to an iron rod; thence N00°19'13"E, 238.97' to an iron rod; thence S89°56'11"E, 493.39' to an iron rod; thence N00°33'21"W 466.77' to an iron rod; thence N89°55'00"W, 1255.57' to the W line of the SE 1/4 of said Sect. 24; thence N00°25'00"W, along the W line of the SE 1/4 of said Sect. 24, a distance of 546.37'; thence N89°12'05"E, 1255.74' to an iron rod; thence N00°26'21"W, 514.22' to an iron rod; thence S89°45'00"W, 1255.52' to the W line of the SE 1/4 of said Sect. 24; thence N00°25'00"W, along the W line of the SE 1/4 of said Sect. 24, a distance of 380.67' to an iron rod the NW corner of the SE 1/4 of said Sect. 24; thence S89°36'00"E along the N line of the SE 1/4 of said Sect. 24, a distance of 1326.92' to iron rod at the NW corner of said 80-acre tract; thence S89°36'00"E along the W line of said 80-acre tract, 2661.02' to the P.O.B. **[570]** PIN: 03-03-400-004: The E1/2 of the S1/2 of the SE1/4 of Sect. 3, T13N, R3. **[571]** PIN: 04-17-100-001: The W1/2 of the NW1/4 of Sect. 17, T13N, R4; EXCEPT: Part of the W1/2 of the NW1/4 of Sect. 17, T13N, R4, beginning at the SW corner of the NW1/4 of said Sect. 17; thence N00°28'03"E 49.86' on the W line of the NW1/4 of said Sect. 17; thence S89°31'57"E 37.35' to the existing Easterly ROW line of Knox Rd. 1900E; thence S45°30'53"E 46.84'; thence S87°27'45"E 50.00'; thence S85°39'27"E 149.74'; thence S87°56'31"E 175.00'; thence S76°37'55"E 25.50'; S87°56'31"E 100.00'; thence S88°56'05"E 199.39'; thence N89°08'56"E, 150.08'; thence S88°56'31"E 406.63' to the E line of the W1/2 of the NW1/4 of said Sect. 17; thence S00°31'07"E 7.71' on said E line to the SE corner of the W1/2 of the NW1/4 of said Sect. 17; thence N88°44'06"W 1,326.43' on the S line of the NW1/4 of said Sect. 17 to the P.O.B. **[578]** PINs: 07-09-100-011; 07-09-300-009: A part of Sect. 9, T12N, R3, beginning at a plug at the SW corner of the SW ¼ of said Sect. 9; thence N00°05'00"W, along the W line of said Sect. 9, a distance of 3254.21'; thence S83°56'14" E, a distance of 1898.58' to an iron rod on the W line of an existing tract; thence S05°43'13" E, along said W line, a distance of 175.50' to an iron rod; thence S74°59'49"E, a distance of 77.36' to an iron rod; thence N86°58'54"E, a distance of 611.78' to an iron rod; thence S66°43'41"E, a distance of 148.02' to an iron rod; thence S47°14'30"E, a distance of 115.57' to an iron rod; thence S60°27'14"E, a distance of 144.35' to an iron rod; thence S52°58'30"E, a distance of 120.43' to an iron rod; thence S31°32'10"E, a distance of 405.55' to an iron rod; thence S27°17'23"E, a distance of 170.84' to an iron rod; thence S07°15'48"W, a distance of 162.90' to an iron rod; thence S16°57'25"W, a distance of 141.43' to an iron rod; thence S54°19'24"W, a distance of 218.77' to an iron rod; thence S44°43'56"W, a distance of 106.68' to an iron rod; thence S39°16'30"W, a distance of 187.76' to an iron rod; thence S33°55'47"W, a distance of 315.50' to an iron rod; thence S36°24'16"W, a distance of 320.35' to an iron rod; thence S08°47'17"W, a distance of 418.76' to an iron rod; thence S12°38'38"W, a distance of 210.04' to an iron rod; thence S15°18'40"W, a distance of 115.04' to an iron rod; thence N86°20'13"W, a distance of 343.29' to an iron rod; thence S06°03'08"W, a distance of 252.40' to the S line of the SW ¼ of said Sect. 9; thence N89°41'22"W, along the S line of the SW ¼ of said Sect. 9, a distance of 2010.15' to the P.O.B. **[588]** PIN: 03-24-100-004: The SW1/4 of the NW1/4 of Sect. 24, T13N, R3. **[597]** PIN: 03-22-200-001: The NE1/4 of Sect. 22, T13N, R3. **[620]** PIN: 03-04-400-001: The SE1/4 of Sect. 4, T13N, R3. PIN: 03-09-200-003: The N1/2 of the NE1/4 of Sect. 9, T13N, R3; EXCEPT: Tract A, a part of the NE1/4, Sect. 9, T13N, R3, per Plat of Survey recorded April 25, 2002 as Doc. 891066 in Book 35 of Plats, Page 74. PIN: 04-06-300-001: Lot 2 in the SW1/4 of Sect. 6, T13N, R4. PIN: 04-07-100-001: The Fractional NW1/4 of Sect. 7, T13N, R4. PIN: 04-07-300-001: The Fractional SW1/4 of Sect. 7, T13N, R4. **[604]** PIN: 07-02-400-002: The E 100.87 acres of the SE1/4 of Sect. 2, T12N, R3. PIN: 07-02-400-001: The W 60 acres of the SE1/4 of Sect. 2, T12N, R3. PIN: 07-02-200-002: The S1/2 of the NE1/4 of Sect. 2, T12N, R3.